


product guide





our vision



**to be the leading
and most responsible
hand protection manufacturer
in the world**





our approach

We're often asked how a young business makes itself recognised in such a competitive market. It's one of our favourite questions and one we always answer in the same way.

"We never lose sight of the fact that our business is all about our customers"

By understanding our End Users' needs, anticipating how they will evolve in the future, and focusing on using our in-house manufacturing technology **to find new and better ways to protect hands**, we can work towards our vision of becoming **the leading and most responsible hand protection manufacturer in the world.**

Of course, appreciating what matters most to an individual End User is just the start. We also invest in our Distribution Partners and understanding their business and their priorities. They are, and will always remain, the heart of our supply chain.

When it comes to hand protection, both the big picture and the fine detail are important – that's why we pride ourselves on having a specialist sales team with experience across our key regions and industry sectors. They provide our End Users and Distribution Partners with expert advice on protecting hands, and a unique manufacturing perspective on the glove world.



Delivering value to our customer chain demands innovative solutions to keep us ahead of our competition. That means we're tough with ourselves – designing, testing and manufacturing new products and ruthlessly discarding anything that doesn't measure up now or in the future.

Customer focus, specialist teams, innovative solutions – it's a simple story that you'll hear from our colleagues in every part of the Unigloves business. All three are work in progress – constantly developed, tuned and delivered for our customers now and for their future hand protection needs.

Chris Wahlers,
Managing Director, UK

Chris Wahlers



CHRIS WAHLERS
MANAGING
DIRECTOR
UK



KEVIN ONAH
EXECUTIVE
CHAIRMAN
UK





contents

01 OUR APPROACH	05 WHAT WE OFFER		
	04 WHO WE ARE	09 ACCREDITATIONS	35 CHEMICAL RESISTANT GLOVES
10 EXPLANATION OF STANDARDS		18 TECHNOLOGIES	25 CUT RESISTANT GLOVES
	16 INDUSTRIAL GLOVE MATRIX	19 MECHANICAL GLOVES	39 THERMAL GLOVES
		43 ELECTRICIANS' GLOVES & ACCESSORIES	
			47 HOUSEHOLD GLOVES



51
DISPOSABLES

61
PRO.TECT

67
PEARL

71
SELECT BLACK

55
ADVANCED

77
UNICARE

91
VITALITY

95
SKINCARE

89
FORTIFIED

97
ANCILLARY

100
PRODUCT
INDEX

B/Cover
HAND SIZE
GUIDE

who we are


UG Healthcare Group

Our parent company, UG Healthcare Corporation, has been manufacturing high quality single use gloves since 1989 and is one of the world's leading glove manufacturers, producing up to 145 gloves every second of every day. UG Healthcare Corporation is listed on the Singapore Stock Exchange with SGX Symbol 8K7.

Our products play a vital role in healthcare and personal protection around the world, so **our business is built upon the simple founding principle of Safety through Quality: quality products backed by quality service and support.**

Bona fide 
manufacturer
 with **4** factories
 in Malaysia

Annual output of
4.6 billion gloves
 with **future growth**
 under **way** 

Group owned
distributors 
 on **5** continents

UK Business

The UK sales and marketing office supplies Unigloves-manufactured single use gloves to European wholesalers and retailers across multiple sectors, with a focus on the automotive aftermarket, the food industry, and the medical market. We are dedicated to helping our partners grow sales and margins. During the twelve months prior to the pandemic, we achieved an average revenue growth rate for our top partners of 20%. We help you select the best products for you and your market, and we support you with sales, marketing, logistics and technical and regulatory support.

	Partnership approach to customer relationships	Ambition, passion and drive run through the business	
	Single line business entirely focused on gloves	UK's widest stocked range of single use gloves	
	Experienced team, structured for major account growth	Continuous improvement at the core of our business	
	Simple, efficient and well-managed supply chain	Cost controls paramount	

Our product offering ranges from very low cost, entry level, economy medical gloves, through to market leading premium quality products of exceptional comfort, durability and performance.



what we offer

sales support

Dedicated Support

Dedicated, experienced sales support and internal buddy, to ensure your account is proactively managed, including joint visits to end users to enhance sales and margin.

Enterprise-Grade IT

Enterprise-grade IT system with customer centric features, to ensure you have accurate and reliable information on your business with us.

24/7 Access

Our full-function online account management platform is available 24/7 so you always have instant access to your account and order history.

Factory Direct

Commercially competitive and consistent pricing; we pass on the benefits of our efficient supply chain to you.



marketing support

Supported Brand

Significant recent investment in brand and product collateral; expert help, tools and materials to promote our products and maximise your returns.

Product Samples

Prepacked sample sleeves; we bear the cost of sample requests and product trials so you don't have to.

Experienced Team

Experienced, industry savvy, marketing and design team, dedicated to providing you with professional support for joint online and offline marketing campaigns.

Digital

Digital marketing platform for web and social media marketing to provide greater reach to end users and to provide a steady stream of inbound enquiries.



technical support

Training

Product training from our experienced technical team, so you can equip your sales team with product knowledge and position them as the product experts.

Reliable Data

Detailed, reliable factory technical data; have confidence that you're selling the product you think you are.

New Product Development

Product development and innovation; differentiate a product often perceived to be a commodity by offering our first-to-market gloves.

Factory Support

Support from the factory team; direct communication with the factory's decision makers.

Contact Technical Support: technical@unigloves.co.uk

logistics support

We tailor our logistics to your requirements, whether it is cartons to multiple locations, pallet quantities to a distribution centre, or containers to a central hub

Reliance Medical

Award winning logistics partners with an enviable 'on-time-in-full' track record so you can be confident products will arrive just in time.

Planning

Flexibility and low minimum order quantities, so you can optimise your orders and use your warehouse for higher margin opportunities.

High Stock Holdings

High stock holdings in UK and Malaysia to help mitigate and minimise supply chain risks.

Flexibility

Logistical flexibility: deferred stock; ring-fenced stock and forward orders; bespoke and specific ways to manage stock and consignments to give you competitive advantage.



distribution partners end users

Distribution Partners

'We believe that getting our products into your warehouse is the start of our partnership, not the end.'

We build our relationship through:



- Our professional, North and South regional sales teams
- Our dedicated, UK based customer service team
- Our technical glove expertise
- Our suite of support materials



End Users

Unigloves only sells to Distributors and as the name suggests, end users are the ultimate user of our product range so it's important that we keep channels of communication open to them, so we can:







- Survey work stations on site to be able to specify the best glove for the job using Unigloves Hand and Arm Protection Survey (HAAPS)
- Provide a free trial of Unigloves hand protection products, so you can make sure they are the best choice for your work place
- Gather feedback on our product range
- Gather insights into how our products are used and to innovate and develop the next generation of hand protection solutions
- Test new product ideas and enhancements

accreditations


	 Unigloves (UK) Ltd	 UG Healthcare Corporation Ltd
Business	<ol style="list-style-type: none"> 1. Quality management system ISO 9001:2015 (ISOQAR) 2. Health and safety management system ISO 45001:2007 (ISOQAR) 3. Managed business continuity system (Continuity Partner) 	<ol style="list-style-type: none"> 1. Quality management system ISO 9001:2015 (BSI) 2. Quality management system ISO 13485:2016 (BSI)
Products	<ol style="list-style-type: none"> 4. British Safety Industry Federation Registered Safety Supplier 5. MHRA Registered 	<ol style="list-style-type: none"> 3. EN374 Cat III certification (SATRA) 4. EN1186 Food Testing (TUV)
Environment	<ol style="list-style-type: none"> 6. Environmental management system ISO 14001:2015 (ISOQAR) 	
Welfare	<ol style="list-style-type: none"> 7. Labour standard system LSAS Level 2 (LRQA) 8. Ethical Trading Initiative (ETI) Member 	<ol style="list-style-type: none"> 5. Social accountability standard SEDEX registered and SMETA audited

Certificate Number 9738
ISO 9001, ISO 14001, ISO 45001









For workers' rights. For better business.



Sedex Member

explanation of standards



EN 388 glove standard explained

▷ Abrasion

The abrasion test enables glove samples to be rubbed against a standard sandpaper. The machine is stopped at set intervals and the samples inspected for holes produced by rubbing.

▷ Cut (coupe method)

The cut test uses a circular blade in a slicing action across the surface of the glove sample. The performance of the glove is measured relative to a piece of control fabric and the results calculated as a cutting index. This test has problems with high cut resistant fabrics, caused when the blade becomes blunt and is unable to cut through the control fabric. When this happens the cutting index either cannot be calculated or produces an obviously low result so when dulling of the blade reaches a prescribed level, the ISO cut test is used to determine cut resistance instead.

▷ Tear

The test piece is trouser shaped so the test measures tear propagation, not tear creation. A tensometer is used to pull the “legs” apart.

▷ Puncture

This test is sometimes mistaken as a measurement of resistance to needles, but the test actually measures the resistance of the material to puncture by a test stylus shaped like a blunt nail, it is a type of burst strength test.

▷ Cut (ISO method)

The ISO cut test uses a straight edged blade to measure cut resistance, which is determined as the force required to cut within a given distance. As the blade has variable weights applied to it, this corresponds to a Newton (N) value. As the blade edge is used only once, this method has been found capable of measuring higher cut resistance values.

▷ Impact resistance

This is based on the protective gloves for motorcycle riders tests and measures the force transmitted to the hand. In reality, the test looks like a weight being dropped onto a ladle.

▷ Levels of performance

Test	Level 1	Level 2	Level 3	Level 4	Level 5
6.1 Abrasion resistance (number of rubs)	100	500	2 000	8 000	-
6.2 Coupe test:					
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0
6.4 Tear resistance (N)	10	25	50	75	-
6.5 Puncture resistance (N)	20	60	100	150	-

► Levels of performance for materials tested with EN ISO 13997

	Level A	Level B	Level C	Level D	Level E	Level F
6.3 TDM: cut resistance (N)	2	5	10	15	22	30



Example of marking for the mechanical risks:

- Example 1: 3 4 4 3 E P
- Example 2: 3 X 0 3 E
- Example 3: 3 2 0 3 X



► Explanation of the above examples

Example	1	2	3
Abrasion resistance (6.1)	Level 3	Level 3	Level 3
Cut resistance (6.2)	Level 4	Test not performed or not applicable	Level 2
Tear resistance (6.4)	Level 4	Level 1 not achieved	Level 1 not achieved
Puncture (6.5)	Level 3	Level 3	Level 3
Cut resistance (6.3)	Level E	Level E	Test not performed
Impact protection	Achieved	Test not performed	Test not performed



Personal Protective Equipment regulations

Personal Protective Equipment (PPE) is designed to protect the user from hazards, the principal European legislation is the PPE Regulation (EU) 2016/425.

Our gloves certified under these regulations protect the user against common hazards found in industry: micro-organisms and chemical hazards. The main standards for gloves certified as PPE are listed below.

▷ EN ISO 374-1

This contains the terminology and performance requirements for chemical protective gloves including a list of 18 chemicals whose code letters can be used on the glove marking. Permeation testing is carried out using EN 16523-1. Three different types of performance level are defined:

▷ **Type A** gloves achieve level 2 or greater against 6 of the 18 chemicals

▷ **Type B** gloves achieve level 2 or greater against at least 3 of the 18 chemicals

▷ **Type C** gloves achieve at least level 1 against 1 of the 18 chemicals



CODE LETTER	CHEMICAL	CODE LETTER	CHEMICAL	CODE LETTER	CHEMICAL
A	Methanol	G	Diethylamine	M	Nitric acid 65%
B	Acetone	H	Tetrahydrofuran	N	Acetic acid 99%
C	Acetonitrile	I	Ethyl acetate	O	Ammonium hydroxide 25%
D	Dichloromethane	J	n-Heptane	P	Hydrogen peroxide 30%
E	Carbon disulphide	K	Sodium hydroxide 40%	S	Hydrofluoric acid 40%
F	Toluene	L	Sulphuric acid 96%	T	Formaldehyde 37%

▷ EN 374-2

Penetration is the movement of a chemical through a material, seam, pinhole or other imperfection when tested to:

- the air leak test where a glove is inflated under water or
- the water leak test where a glove is filled with water In both tests, the glove shall not leak

▷ EN 374-4

Degradation is a change in glove material, typically flaking, swelling, change in appearance, or hardening. The results are expressed in % where a positive number indicates the material is weaker after testing and a negative number indicates the material has harden during testing.

▷ EN 374-5

This contains the terminology and performance requirements for protective gloves against microbiological agents - bacteria, virus or fungi. Penetration testing is required as per EN374-2, but gloves offering protection against viruses shall additionally pass a penetration test performed to ISO 16604:2004 determination of resistance of protective clothing materials to penetration by blood-borne pathogens.



▷ **EN 420 & EN ISO 21420**

Defines the general requirements of gloves to comply with the PPE regulations.

These regulations and this standard is primarily concerned with **protecting the wearer**.

▷ **EN 1186**

Food safe

In conjunction with Articles in Contact with Food regulations, defines the requirements of gloves in contact with food.



UKCA News



Post-Brexit, new glove markings called UKCA (UK Conformity Assessed) came into effect in the UK from the 1st of January, 2021. Unigloves has worked with UK approved bodies to ensure all our PPE complies with CE and UKCA requirements.

Medical device regulations

The Medical Devices Regulation (EU) 2017/745 governs our range of medical gloves and ensures products are safe for patients and users.

▷ **EN 455**

Is a series of standards that define medical gloves and their requirements.

The medical device regulation and EN 455 are primarily concerned with protecting the patient.

▷ Part 1

Requirements and testing for freedom from holes

Gloves must pass this test at AQL level 1.5 in order to prove that they are an effective barrier against micro-organisms.

▷ Part 3

Requirements and testing for biological evaluation

Includes tests for potentially hazardous materials that may affect the wearer or be transferred to a patient, including endotoxins, latex proteins (can cause Type I reactions), chemical residues including accelerators (can cause Type IV reactions) and powder (powder free gloves should have a powder level of <2mg per glove).

▷ Part 2

Requirements and testing for physical properties

Gloves must meet set dimensions and physical strength depending on the material.

Force at break (Newtons)

Latex	6.0
Nitrile	6.0
Vinyl	3.6

▷ Part 4

Determination of shelf-life


Specifies tests for determining how long a glove will be fit for use. five years is the maximum shelf-life that can be claimed for medical gloves.

▷ EN 407

Protective gloves against thermal risks

Contact heat is tested according to EN ISO 12127-1:2015. Samples are taken from the palm area and placed in contact with the appropriate temperature. For each performance level, the temperature of the inside of the glove cannot rise by more than 10°C within the threshold time at any of the 4 temperatures tested. For contact heat levels 3 or 4, limited flame spread shall be performed and reach at least level 3 otherwise the maximum contact heat performance that shall be reported is level 2.

PERFORMANCE LEVEL	CONTACT TEMPERATURE °C	THRESHOLD TIME
1	100	≥15
2	250	≥15
3	350	≥15
4	500	≥15



▷ EN 511

Protective Gloves Against Cold

Convective Cold is tested by measuring the power required to maintain a constant temperature on a heated full-scale hand model in the ambient atmosphere of a climatic room which provides uniform conditions. The hand model is typically heated to 30-35°C. The resultant thermal insulation (ITR) is calculated using the hand model temperature, climatic room temperature and the power consumption of the heated hand to maintain a constant temperature.

PERFORMANCE LEVEL	THERMAL INSULATION (ITR) IN M ² °C/W
1	0.10 ≤ I _{TR} < 0.15
2	0.15 ≤ I _{TR} < 0.22
3	0.22 ≤ I _{TR} < 0.30
4	0.30 ≤ I _{TR}



Contact Cold is tested according to ISO 5085-1 : 1989. The Thermal Resistance (R) is calculated by placing the sample on top of a heated plate with another metal plate (cold plate) placed on top of the sample. This is placed inside a cabinet which has an extractor fan to draw air past the assembly which has a cooling effect on the cold plate. The temperature gradient either side of the sample is measured and compared with the temperature gradient either side of a reference standard. The

PERFORMANCE LEVEL	THERMAL RESISTANCE (R) IN M ² °C/W/W
1	0.025 ≤ R < 0.050
2	0.050 ≤ R < 0.100
3	0.100 ≤ R < 0.150
4	0.150 ≤ R

Thermal Insulation is calculated from the known thermal resistance of the standard and the measured temperature gradients.

Water Impermeability is tested in accordance with EN ISO 15383. Water penetration shall not appear less than 30 minutes after the start of the test and is essentially a pass or fail.

▷ EN 60903

Live Working Gloves of Insulating Material

To obtain compliance with EN 60903, all gloves must be tested to the relevant voltage in the table opposite. The construction, thickness and test voltage combine to give the class compliance. To maintain compliance, gloves of classes 1, 2, 3 and 4 must be re-tested every 6 months.


📄 find out more at unigloves.co.uk/resources



responsible hand protection

Unigloves puts sustainability and social responsibility issues at the forefront of every working day.

To find out more about how Unigloves is being responsible, **visit our website** or search '**Unigloves CSR**'.



Nitrex Range	PU	Nitrile	Foam Nitrile	 NitreGrip® Technology	Latex	Palm Coated	3/4 Coated	Fully Coated	Double Dipped	Uncoated	Mechanical	Cut
290B, 290G	☞					☞					☞	
250		☞				☞					☞	
250FC		☞						☞			☞	
270E			☞			☞					☞	
270NF				☞		☞					☞	
270NFP				☞			☞				☞	
270NFG			☞			☞					☞	
275BG					☞			☞			☞	☞
360FC				☞					☞		☞	
275D					☞	☞					☞	
245P	☞					☞						☞
241PF	☞					☞						☞
241OR	☞					☞						☞
241PC18	☞					☞						☞
245N				☞		☞						☞
241ND				☞		☞						☞
340RF			☞			☞						☞
242D			☞			☞						☞
340FCD				☞					☞			☞
244										☞		☞
247S										☞		☞
340RFI				☞								☞
613		☞						☞			☞	
612		☞						☞			☞	
440					☞			☞			☞	
680					☞			☞			☞	
645								☞			☞	
299T					☞	☞					☞	☞
370W			☞					☞			☞	☞
360FCT				☞					☞		☞	☞

Cut Level	 NitroGuard [®] Technology	Liquid Resistant	Industrial Oils	Cold EN511	Heat EN407	Chemical EN374	Food Approved	Touch-screen Compatible	Thumb crotch Reinforcement	back of hand protection	
			☞				☞				
		☞	☞				☞				
			☞								
			☞				☞				
			☞				☞				
			☞								
B		☞									☞
		☞					☞				
D	☞										
F	☞										
B											☞
C											
D	☞		☞						☞		
D	☞		☞						☞		
D	☞		☞		☞			☞	☞		☞
D	☞		☞					☞			
F	☞	☞	☞				☞				
D	☞						☞				
E	☞						☞				
C									☞	☞	
		☞	☞			☞	☞				
		☞	☞			☞	☞				
		☞			☞	☞	☞				
		☞				☞	☞				
		☞				☞	☞				
B				☞							☞
B		☞	☞	☞	☞						☞
B		☞	☞	☞			☞				



technologies



Sanitized® Hygiene and Odour Control Function

Glove users demand long-lasting odour control when they are wearing gloves to protect their hands. The Sanitized Hygiene and Odour Control Function is integrated within the glove, neutralising odours and reducing microbial growth. Gloves with this special feature are denoted with the Sanitized Actifresh logo. This article contains a biocidal product with the active substance zinc pyrithione.



NitreGrip® Technology

NitreGrip Technology occurs in the Nitrex range of gloves that feature a new, advanced surface treatment that provides a secure grip when working in wet and oily conditions and maintains its quality when used in the dry. The sandy nitrile gives an assured grip finish on the nitrile's surface, comparable to a suction cup that attaches itself firmly to the material being handled. The surface treatment reduces the force needed to grip and allows the glove to stay soft and therefore comfortable, which reduces hand fatigue.



NitreGuard® Technology

NitreGuard Technology is associated with Nitrex gloves for use in areas with a high cut risk. The technology is related to Nitrex gloves scoring cut levels D to F, only awarded to gloves achieving a straight blade cut resistance of ≥ 15 Newtons (EN388:2016). Gloves featuring NitreGuard Technology are recommended for use in industries working with glass, sharp metal objects, sharp edges, etc.



Biodegradable Technology

BioTouch gloves contain a Biodegradable Technology that kickstarts a biodegradation process only when discarded in an active landfill environment. BioTouch is more environmentally friendly, with a much faster natural breakdown compared to regular nitrile, which can take over 100 years.














BioCote® Antimicrobial Technology

BioCote irreversibly damages contaminating microbes, stopping them from reproducing and disrupting functions essential to life - ultimately causing them to die. Introduced into our Fortified antimicrobial gloves during the manufacturing process, BioCote antimicrobial additives make the gloves inhospitable to microbes such as bacteria and mould that may contaminate them.



mechanical gloves

-  Page 20 Nitrex 290B
-  Page 20 Nitrex 290G
-  Page 20 Nitrex 360FC
-  Page 21 Nitrex 270NF
-  Page 22 Nitrex 270NFP
-  Page 23 Nitrex 270NFG
-  Page 23 Nitrex 250
-  Page 23 Nitrex 250FC
-  Page 24 Nitrex 270E
-  Page 24 Nitrex 275D
-  Page 24 Nitrex 275BG





▷ Nitrex 290B

PU palm coated · 13 gauge seamless liner · breathable abrasion resistant



Features

- Medium weight seamless polyester liner
- Breathable palm coating
- Abrasion resistant
- Polyurethane / PU palm coating

Sectors

- Construction
- Electrician
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- General Maintenance



UK
CA

▷ Nitrex 290G

PU palm coated · 13 gauge seamless liner · breathable abrasion resistant



Features

- Medium weight seamless polyester liner
- Breathable palm coating
- Abrasion resistant
- Polyurethane / PU palm coating

Sectors

- Construction
- Electrician
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- General Maintenance



UK
CA

▷ Nitrex 360FC

fully coated, double-dipped nitrile 15 gauge seamless liner · dual coating ideal for oily applications NitreGrip® Technology



Features

- Featuring Unigloves NitreGrip Technology
- Light weight seamless nylon liner
- Flat nitrile full coating with sandy nitrile palm coating
- Full coating (FC) on the glove
- Excellent abrasion protection
- Food approved

Sectors

- Transport and Logistics
- Construction & Utility
- Manufacturing & engineering
- Waste management
- Local Authority
- Maintenance
- Oil & Gas
- Food processing



UK
CA



Order Codes | Sizing:

290B/06 | 6
290B/07 | 7
290B/08 | 8
290B/09 | 9
290B/10 | 10
290B/11 | 11

Packaging:

10 pairs per polybag
100 pairs per case

Order Codes | Sizing:

290G/06 | 6
290G/07 | 7
290G/08 | 8
290G/09 | 9
290G/10 | 10
290G/11 | 11

Packaging:

10 pairs per polybag
100 pairs per case

Order Codes | Sizing:

360FC/07 | 7
360FC/08 | 8
360FC/09 | 9
360FC/10 | 10
360FC/11 | 11

Packaging:

1 pair per polybag
10 pairs per master polybag
6 master polybags per case



▷ Nitrex 270NF

sandy nitrile palm coated · 15 gauge seamless liner
abrasion resistant · durable coating
NitriGrip® Technology



Features

- Featuring Unigloves NitriGrip Technology
- 15 gauge seamless nylon liner
- Abrasion and oil resistant sandy nitrile palm coating
- Food approved

Sectors


- Transport and Logistics
- Construction & Utility
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- Waste Management and Local authority

Order Codes | Sizing:

- 270NF/06 | 6
- 270NF/07 | 7
- 270NF/08 | 8
- 270NF/09 | 9
- 270NF/10 | 10
- 270NF/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 10 master polybags per case





▷ Nitrex 270NFP

sandy nitrile ¾ coated · 15 gauge seamless liner · back of hand liquid protection · excellent abrasion

NitreGrip® Technology



NitreGrip®
Technology

Features

- Featuring Unigloves NitreGrip Technology
- 15 gauge seamless nylon liner
- ¾ sandy nitrile coating
- Abrasion resistant
- Food approved

Sectors

- Construction & Utility
- Automotive
- Engineering and Manufacturing
- Warehousing, Transport and Logistics
- Waste Management and Local authority

Order Codes | Sizing:

270NFP/06 | 6
 270NFP/07 | 7
 270NFP/08 | 8
 270NFP/09 | 9
 270NFP/10 | 10
 270NFP/11 | 11

Packaging:

1 pair per polybag
 10 pairs per master polybag
 10 master polybags per case





▷ Nitrex 270NFG

foam nitrile palm coating with dots
 15 gauge seamless liner · superior wet and dry grip

Features

- Light weight seamless nylon liner
- Foam nitrile coating
- Coated with nitrile dots
- Excellent abrasion protection

Sectors

- Aerospace · Automotive
- Construction · Manufacturing
- Electronics · Light Engineering
- Warehousing · Maintenance



Order Codes | Sizing:

- 270NFG/06 | 6
- 270NFG/07 | 7
- 270NFG/08 | 8
- 270NFG/09 | 9
- 270NFG/10 | 10
- 270NFG/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 10 master polybags per case



▷ Nitrex 250

nitrile palm coated · 13 gauge seamless liner · close fitting abrasion resistance

Features

- Medium weight seamless polyester liner
- Nitrile coating
- Resistant to abrasion
- Food approved

Sectors

- Construction · Automotive
- Engineering and Manufacturing
- Warehousing · Transport and Logistics
- General Maintenance
- Light engineering



Order Codes | Sizing:

- 250/07 | 7
- 250/10 | 10
- 250/08 | 8
- 250/11 | 11
- 250/09 | 9

Packaging:

- 10 pairs per polybag
- 100 pairs per case



▷ Nitrex 250FC

nitrile fully coated · 13 gauge seamless liner · close fitting abrasion resistance

Features

- Medium weight seamless polyester liner
- Nitrile coating
- Resistant to abrasion
- Food approved

Sectors

- Construction · Automotive
- Engineering and Manufacturing
- Warehousing · Transport and Logistics
- General Maintenance
- Light engineering



Order Codes | Sizing:

- 250FC/06 | 6
- 250FC/09 | 9
- 250FC/07 | 7
- 250FC/10 | 10
- 250FC/08 | 8
- 250FC/11 | 11

Packaging:

- 10 pairs per polybag
- 100 pairs per case



▷ Nitrex 270E

foam nitrile palm coated · 15 gauge seamless liner · abrasion resistant · excellent grip



Features

- Light weight seamless polyester liner
- Foam nitrile palm coating
- Moisture wicking foam nitrile surface
- Abrasion protection

Sectors

- Aerospace
- Automotive
- Construction
- Manufacturing
- Electronics
- Light Engineering



UK
CA

▷ Nitrex 275D

foam latex palm coated · 15 gauge seamless liner · close fitting · dexterous



Features

- Light weight seamless liner
- Seamless nylon and Spandex® liner
- Soft foam latex coating
- Ideal for dry and damp environments

Sectors

- Construction
- Maintenance
- Warehousing
- Engineering
- Manufacturing



UK
CA

▷ Nitrex 275BG

crinkle latex fully coated · general handling · brushed jersey liner · ideal for wet environments · abrasion resistant · Sanitized® Actifresh



Features

- Featuring Sanitized Hygiene and Odour Control Function
- Jersey cotton liner
- Crinkled latex finish
- Fully coated crinkled finish
- Abrasion protection

Sectors

- Construction & Utility
- Waste management
- Local Authority
- Maintenance
- Gardening
- Timber



UK
CA

Order Codes | Sizing:

270E/06 | 6
270E/07 | 7
270E/08 | 8
270E/09 | 9
270E/10 | 10
270E/11 | 11

Packaging:

10 pairs per polybag
100 pairs per case

Order Codes | Sizing:

275D/07 | 7
275D/08 | 8
275D/09 | 9
275D/10 | 10

Packaging:

1 pair per polybag
10 pairs per master polybag
6 master polybags per case

Order Codes | Sizing:













275BG/08 | 8
275BG/09 | 9
275BG/10 | 10

Packaging:

10 pairs per polybag
100 pairs per case



cut resistant gloves

-  Page 26 Nitrex 241PF
-  Page 27 Nitrex 245P
-  Page 27 Nitrex 241OR
-  Page 28 Nitrex 241PC18
-  Page 29 Nitrex 241ND
-  Page 29 Nitrex 245N
-  Page 30 Nitrex 340FCD
-  Page 31 Nitrex 340RF
-  Page 31 Nitrex 340RFI
-  Page 32 Nitrex 242D
-  Page 34 Nitrex 244
-  Page 34 Nitrex 247S



▷ Nitrex 241PF

PU palm coated • 13 gauge seamless liner • cut resistant level F - maximum cut protection • NitreGuard® Technology



NitreGuard®
Technology



Features

- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless nylon liner with HPPE and steel dual core
- Cut resistant level F
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments

Sectors

- Metal works
- Assembly
- Automotive
- Glass Manufacturing
- Bottling
- Steel Fabrication
- Construction
- Utility
- Maintenance
- Recycling

Order Codes | Sizing:

- 241PF/07 | 7
- 241PF/08 | 8
- 241PF/09 | 9
- 241PF/10 | 10

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case





▷ Nitrex 245P

PU palm coated · 13 gauge seamless liner · cut resistant D - high cut protection · dexterous for close fitting applications · NitreGuard® Technology

Features

- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless polyester / nylon blend liner with HPPE
- PU palm coating
- Good abrasion protection
- Elasticated knitted wrist

Sectors

- Construction
- Maintenance
- Metal Processing
- Engineering
- General Manufacturing
- Glass Manufacturing
- Injection moulding



Order Codes | Sizing:

- 245P/07 | 7
- 245P/08 | 8
- 245P/09 | 9
- 245P/10 | 10
- 245P/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



▷ Nitrex 241OR

PU palm coated · 15 gauge seamless liner · cut resistant level B easily identifiable colour · excellent dry grip · Sanitized® Actifresh

Features

- Featuring Sanitized Hygiene and Odour Control Function
- 15 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments
- Orange liner

Sectors

- Construction
- Automotive
- Utility
- Engineering
- Manufacturing
- Warehousing,
- Transport and Logistics
- Local authority



Order Codes | Sizing:

- 241OR/07 | 7
- 241OR/08 | 8
- 241OR/09 | 9
- 241OR/10 | 10
- 241OR/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



▷ Nitrex 241PC18

PU palm coated • 18 gauge seamless liner • cut resistant level C • breathable • ultra-lightweight

Features

- 18 gauge seamless nylon / Spandex® liner with HPPE, encapsulated glass fibre and steel
- Cut resistant level C
- PU palm coating
- Excellent abrasion and tear properties
- Ideal for dry environments
- Elasticated knitted wrist

Sectors

- Construction
- Automotive
- Utility
- Engineering
- Manufacturing
- Warehousing,
- Transport and Logistics
- Local authority

Order Codes | Sizing:

- 241PC18/06 | 6
- 241PC18/07 | 7
- 241PC18/08 | 8
- 241PC18/09 | 9
- 241PC18/10 | 10
- 241PC18/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case





▷ Nitrex 241ND

sandy nitrile palm coated · 18 gauge seamless liner · cut resistant level D · reinforced thumb crotch · NitreGuard® Technology NitreGrip® Technology

Features

- Featuring Unigloves NitreGuard and NitreGrip Technology
- 18 gauge seamless nylon / Spandex® liner with HPPE, encapsulated glass fibre and a steel core
- Cut resistant level D
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Elasticated knitted wrist

Sectors

- Aerospace · Assembly
- Automotive · Construction
- Engineering · Glass handling
- Local authority · Recycling
- Mechanics · Railway maintenance
- Transportation · Utilities
- Brewery · Timber



Order Codes | Sizing:

- 241ND/07 | 7
- 241ND/08 | 8
- 241ND/09 | 9
- 241ND/10 | 10
- 241ND/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



▷ Nitrex 245N

sandy nitrile palm coated · 13 gauge seamless liner · cut resistant level D · reinforced thumb crotch · NitreGuard® Technology NitreGrip® Technology

Features

- Featuring Unigloves NitreGuard Technology
- Featuring Unigloves NitreGrip Technology
- 13 gauge seamless polyester / nylon liner with HPPE, basalt and steel
- Cut resistant level D
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Elasticated knitted wrist

Sectors

- Aerospace · Assembly · Automotive
- Construction · Engineering
- Glass handling · Local authority
- Recycling · Mechanics · Utilities
- Railway maintenance · Transportation
- Brewery · Timber · Manufacturing
- Warehousing · Transport and Logistics · Local authority



Order Codes | Sizing:

- 245N/07 | 7
- 245N/08 | 8
- 245N/09 | 9
- 245N/10 | 10
- 245N/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



▷ Nitrex 340FCD

double-dipped nitrile · 13 gauge seamless liner · cut resistant level F - maximum cut protection · dual coating · NitreGuard® Technology · NitreGrip® Technology

Features

- Featuring Unigloves NitreGuard Technology
- Featuring Unigloves NitreGrip Technology
- 13 gauge seamless nylon liner with HPPE, encapsulated glass fibre and steel core
- Cut resistant level F
- Dual nitrile coating
- Sandy nitrile palm coating
- Excellent abrasion and tear properties
- Elasticated knitted wrist
- Food approved

Sectors

- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Manufacturing
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Food
- Fisheries



NitreGuard®
Technology



NitreGrip®
Technology



Order Codes | Sizing:

- 340FCD/06 | 6
- 340FCD/07 | 7
- 340FCD/08 | 8
- 340FCD/09 | 9
- 340FCD/10 | 10
- 340FCD/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



Food Safe
(except with
acidic foods)

▷ Nitrex 340RF

foam nitrile palm coated · 13 gauge seamless liner · cut resistant level D · touch screen compatible
 reinforced thumb crotch · NitreGuard® Technology · Sanitized® Actifresh



Features

- Featuring Unigloves NitreGuard Technology
- Featuring Sanitized Hygiene and Odour Control Function
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Foam nitrile palm coating
- Excellent abrasion and tear properties
- Reinforced thumb crotch
- Touch screen compatible
- Contact heat resistant

Sectors

- Aerospace
- Assembly
- Automotive
- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Mechanics
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Timber



Order Codes | Sizing:

- 340RF/07 | 7
- 340RF/08 | 8
- 340RF/09 | 9
- 340RF/10 | 10
- 340RF/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case

▷ Nitrex 340RFI

sandy nitrile palm coated · 13 gauge seamless liner · cut resistant level C · back of hand TPE material
 padded palm for increased comfort · NitreGrip® Technology



Features

- Featuring Unigloves NitreGrip Technology
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level C
- Sandy nitrile palm coating
- Palm padding
- Extensive back of hand TPE protection
- Hook and loop wrist
- Reinforced thumb crotch

Sectors

- General Maintenance
- Machine handling
- Glass industry
- Warehouse
- Transportation
- Oil and Gas
- Industrial Laundry
- Scaffolding
- Mining and Aggregates
- Construction
- Shipping
- Brewery work
- Recycling
- Utilities
- Timber



Order Codes | Sizing:

- 340RFI/07 | 7
- 340RFI/08 | 8
- 340RFI/09 | 9
- 340RFI/10 | 10
- 340RFI/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per case



▷ Nitrex 242D

foam nitrile / PU palm coating • hydrophobic treated 13 gauge seamless liner • cut resistant level D • touch screen compatible • liquid repellent • NitreGuard® Technology



Features

- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless nylon liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Foam nitrile / PU flexible palm coating
- Hydrophobic treatment
- Touch screen compatible
- Elasticated knitted wrist

Sectors

- Construction
- Engineering
- Glass handling
- Local authority
- Recycling
- Manufacturing
- Railway maintenance
- Transportation
- Utilities
- Brewery
- Fisheries

Order Codes | Sizing:

- 242D/06 | 6
- 242D/07 | 7
- 242D/08 | 8
- 242D/09 | 9
- 242D/10 | 10
- 242D/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case



▷ Hydrophobic treatment







▷ Nitrex 244

10 gauge seamless HPPE liner in blue · cut resistant level D ambidextrous · food approved · low linting · NitreGuard® Technology

Features

- Featuring Unigloves NitreGuard Technology
- 10 gauge seamless polyester liner with HPPE and encapsulated glass fibre
- Cut resistant level D
- Ambidextrous
- Low linting
- Food approved

Sectors

- Food



Order Codes | Sizing:

- 244/06 | 6
- 244/07 | 7
- 244/08 | 8
- 244/09 | 9
- 244/10 | 10
- 244/11 | 11

Packaging:

- 1 piece per polybag
- 50 polybags per case



▷ Nitrex 247S

18" (45cm) cut resistant 13 gauge sleeve · cut resistant level E Velcro® fastener · thumb slot · soft comfortable knit NitreGuard® Technology

Features

- Featuring Unigloves NitreGuard Technology
- 13 gauge seamless knitted sleeve with HPPE and encapsulated glass fibre
- Cut resistant level E
- Velcro fastener
- Thumb slot
- Food approved

Sectors

- Construction · Maintenance
- Automotive · Metal Fabrication
- Glazing · Construction & Utility
- Engineering and Manufacturing
- Transport and Logistics
- Manufacturing
- Food
- Recycling



Order Codes | Sizing:

- 247S | 18"


Packaging:

- 10 sleeves per master polybag
- 3 master polybags per case



chemical resistant gloves

- ↳ Page 36 Nitrex 613
- ↳ Page 36 Nitrex 612
- ↳ Page 37 Nitrex 440
- ↳ Page 38 Nitrex 680
- ↳ Page 38 Nitrex 645





▷ Nitrex 613

flock lined nitrile gauntlet · medium weight · resistant to chemicals
abrasion protection · wet and dry grip · approved for food use

Features

- Flock lined nitrile gauntlet 33cm long
- Good abrasion protection
- Ergonomically shaped
- Food approved
- Resistance to a range of a wide range of chemicals, strong detergents, oils and solvents
- Diamond textured grip pattern on palm

Sectors

- Food
- Automotive
- Engineering
- Local authority
- Recycling
- Utilities
- Janitorial
- Chemical

CE 0598

EN388



3101X

UK
CA



EN ISO 374-1:
2016 Type A

EN ISO 374-5:
2016



JKLMNOPST

Order Codes | Sizing:

613/06 6	613/09 9
613/07 7	613/10 10
613/08 8	613/11 11

Packaging:

1 pair per polybag
10 pairs per master polybag
10 master polybags per case



▷ Nitrex 612

unlined nitrile gauntlet · resistant to chemicals · light weight and ergonomic design · wet and dry grip · approved for food use

Features

- Nitrile gauntlet 33cm long
- Offers good protection against abrasion
- Ergonomically shaped
- Food approved
- Resistance to a range of a range of chemicals, detergents, oils and solvents
- Diamond textured grip pattern on palm

Sectors

- Oil and Chemical Processing,
- Laboratory
- Electronics
- Food Processing
- Metal Fabrication
- Agriculture
- Automotive Industry

CE 0598

EN388



2001X

UK
CA



EN ISO 374-1:
2016 Type A

EN ISO 374-5:
2016



JKLOPST

Order Codes | Sizing:

612/07 7	612/10 10
612/08 8	612/11 11
612/09 9	

Packaging:

1 pair per polybag
10 pairs per master polybag
10 master polybags per case



▷ Nitrex 440

jersey cotton lined latex gauntlet · heavy weight · chemical & heat resistant · slip-resistant palm · approved for food use

Features

- Heavy duty jersey cotton lined latex 30cm gauntlet
- Ergonomically shaped
- Excellent grip
- Food approved
- Chemical resistant
- Contact heat resistant

Sectors

- Janitorial
- Cleaning
- Construction and prep work/ground work
- Maintenance
- Food
- Waste Management
- Local Authority

Order Codes | Sizing:

- 440/07 | 7
- 440/08 | 8
- 440/09 | 9
- 440/10 | 10
- 440/10 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case

CE 0598



Food Safe
(except with acidic foods)

EN ISO 374-1:
2016 Type A



AKLMNPST

EN ISO 374-5:
2016



EN388



4131X



EN407





▷ Nitrex 680

flock lined latex gauntlet · heavy weight with good dexterity
resistant to chemicals · diamond textured grip pattern
approved for food use

Features

- Heavy duty flock lined latex gauntlet
- Chlorinated surface
- Ergonomically shaped
- Diamond textured grip pattern on palm
- Food approved
- Chemical resistance
- Beaded cuff

Sectors

- Janitorial
- Cleaning
- Maintenance
- Kitchen Work
- Waste Management
- Food
- Local Authority
- Chemical

CE 0598

EN388



3111X

UK
CA



EN ISO 374-1:
2016 Type A

EN ISO 374-5:
2016



AKLMNOPT

Order Codes | Sizing:

680/06 6	680/09 9
680/07 7	680/10 10
680/08 8	680/11 11

Packaging:

1 pair per polybag
10 pairs per master polybag
6 master polybags per case



▷ Nitrex 645

latex flock lined gauntlet · medium weight · slip resistant pattern
ergonomic design · suitable for use with food

Features

- Medium weight gauntlet
- Flock lined latex
- Honeycomb grip on palm
- Ergonomically shaped
- Food approved
- Resistant to a number of chemicals and cleaning agents

Sectors

- Janitorial
- Cleaning
- Maintenance
- Kitchen Work
- Waste Management
- Food
- Local Authority

CE 0598

EN388



1010X

UK
CA



EN ISO 374-1:
2016 Type A

EN ISO 374-5:
2016



KLMNPST

Order Codes | Sizing:

645/06 6	645/09 9
645/07 7	645/10 10
645/08 8	

Packaging:

1 pair per polybag
10 pairs per master polybag
10 master polybags per case




thermal gloves

- ↳ Page 40 Nitrex 370W
- ↳ Page 42 Nitrex 360FCT
- ↳ Page 42 Nitrex 299T



▷ Nitrex 370W

foam nitrile fully coated · acrylic thermal lined · cold and heat protection · 360° liquid protection · hi viz for increased visibility
Sanitized® Actifresh





Features

- Featuring Sanitized Hygiene and Odour Control Function
- Nylon and Spandex® liner with acrylic terry-brushed inner
- Cut resistant level B
- Ultrathin full dip foam nitrile coating
- Cold and heat protection
- Hi viz yellow
- Excellent dry and super wet grip

Sectors

- Cold Storage
- Outdoor Construction
- Warehouse
- General Maintenance

Order Codes | Sizing:

- 370W/07 | 7
- 370W/08 | 8
- 370W/09 | 9
- 370W/10 | 10
- 370W/11 | 11

Packaging:

- 1 pair per polybag
- 10 pairs per master polybag
- 6 master polybags per case

CE EN388 EN511 EN407
4232B 020 X1XXXX
UK CA i



▷ Nitrex 360FCT

double-dipped sandy nitrile thermal glove · brushed acrylic liner
hi viz for increased visibility · dual coating · NitreGrip® Technology

Features

- Featuring Unigloves NitreGrip Technology
- Double lined brushed acrylic thermal inner
- Dual nitrile coating
- Sandy nitrile palm coating
- Hi viz yellow
- Excellent dry, wet and oily grip
- Elasticated knitted wrist
- Food approved

Sectors

- Cold Storage
- Outdoor Construction
- Precision Works
- General Maintenance
- Engineering
- Warehousing










 Food Safe
(except with acidic foods)

Order Codes | Sizing:

360FCT/07 | 7 360FCT/10 | 10
 360FCT/08 | 8 360FCT/11 | 11
 360FCT/09 | 9 360FCT/12 | 12

Packaging:

1 pair per polybag
 10 pairs per master polybag
 6 master polybags per case



▷ Nitrex 299T

crinkle latex palm coated · warm fleeced thermal liner · excellent
wet and dry grip · flexible · Sanitized® Actifresh

Features

- Featuring Sanitized Hygiene and Odour Control Function
- Seamless knitted fleece liner
- Crinkle latex coating
- Elasticated knitted wrist

Sectors

- Outdoor Construction
- General Maintenance
- Warehousing










Order Codes | Sizing:

299T/08 | 8
 299T/09 | 9
 299T/10 | 10

Packaging:

1 pair per polybag
 10 pairs per master polybag
 6 master polybags per case



electricians' gloves & accessories

- 🔗 Page 44 Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4 | GCA*
- 🔗 Page 45 Sibille Electrical Insulating Gloves Class 00 - Class 4 | GLB*
- 🔗 Page 46 Sibille RGX-SG Leather Over Gloves
- 🔗 Page 46 Sibille RGX-VP Portable Inflator
- 🔗 Page 46 Sibille RGX-SAC Protective Bag
- 🔗 Page 46 Sibille RGX-FT Talcum Powder
- 🔗 Page 46 Sibille RGX-1704 Rubber Cleaning Fluid
- 🔗 Page 46 Sibille RGX-BG Insulating Gloves Storage Case
- 🔗 Page 46 Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder
- 🔗 Page 46 Sibille RGX-SGL Protective Bag - Extra Long
- 🔗 Page 46 Sibille RGX-GCT Cotton Under Gloves
- 🔗 Page 46 Sibille RGX-MC Fingerless Cotton Under Gloves



▷ Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4 (GCA*)

latex electrical insulating arc flash and grip gloves · protection against electrical and arc flash hazards · ergonomic shape 2-colour safety system

Features

- Electrical insulating and arc flash and grip gloves, 3-in-1 protection
- Unique rubber compound formulation
- 2 colour system
- Tested to EN 60903, IEC 60903 and IEC 61482-1-2 Class 2
- Comes with Sibille Fingerless Cotton Under Gloves
- Available in size 6* - 12

*size 6 available in class 00 and class 0 only



Sectors

- Utilities
- Construction
- Automotive
- Rail

Packaging:

1 pair per polybag

CE0333

EN 60903 IEC 60903 IEC 61482-1-2



Class	Thickness max (mm)	Proof test voltage (V) / AC	Max operating voltage (V) / AC	IEC 61482-1-2	ATPV (cal/cm ²) ASTM F2675
00	< 2,4	2 500	500	Class 2 (0.5s – 7kA)	26,3 cal/cm ²
0	< 2,9	5 000	1 000		71,6 cal/cm ²
1	< 3,4	10 000	7 500		42,2 cal/cm ²
2	< 3,9	20 000	17 000		74,5 cal/cm ²
3	< 4,2	30 000	26 500		73,2 cal/cm ²
4	< 4,8	40 000	36 000		87,7 cal/cm ²

Order Codes | Sizing:

Class	Length (cm)	Sizes						
		6	7	8	9	10	11	12
00	36	GCA00-36/6	GCA00-36/7	GCA00-36/8	GCA00-36/9	GCA00-36/10	GCA00-36/11	GCA00-36/12
0	41	GCA0-41/6	GCA0-41/7	GCA0-41/8	GCA0-41/9	GCA0-41/10	GCA0-41/11	GCA0-41/12
1	41		GCA1-41/7	GCA1-41/8	GCA1-41/9	GCA1-41/10	GCA1-41/11	GCA1-41/12
2	41		GCA2-41/7	GCA2-41/8	GCA2-41/9	GCA2-41/10	GCA2-41/11	GCA2-41/12
3	41			GCA3-41/8	GCA3-41/9	GCA3-41/10	GCA3-41/11	GCA3-41/12
4	41			GCA4-41/8	GCA4-41/9	GCA4-41/10	GCA4-41/11	GCA4-41/12



▷ Sibille Electrical Insulating Gloves Class 00 - Class 4 (GLB*)

latex electrical insulating gloves · protection against electrical hazards · ergonomic shape · easy to put on and remove



Features

- Natural rubber latex electrical insulating gloves
- Ergonomic shape
- Tested to EN 60903 and IEC 60903
- Sibille Leather Over Gloves available
- Thin and dexterous
- Available in size 6* - 12

*size 6 available in class 00 and class 0 only

CE 0333

EN 60903 / IEC 60903



Sectors

- Utilities
- Construction
- Automotive
- Rail

Packaging:

1 pair per polybag

Class	Category	Thickness (mm)	Proof test voltage (V) / AC	Max operating voltage (V) / AC
00	AZC	< 1,1	2 500	500
0	AZC	< 1,6	5 000	1 000
1	RC	< 2,1	10 000	7 500
2	RC	< 2,9	20 000	17 000
3	RC	< 3,5	30 000	26 500
4	RC	< 4,2	40 000	36 000

Order Codes | Sizing:

Class	Length (cm)	Sizes						
		6	7	8	9	10	11	12
00	36	GLB00-36/6	GLB00-36/7	GLB00-36/8	GLB00-36/9	GLB00-36/10	GLB00-36/11	GLB00-36/12
0	36	GLB0-36/6	GLB0-36/7	GLB0-36/8	GLB0-36/9	GLB0-36/10	GLB0-36/11	GLB0-36/12
1	36		GLB1-36/7	GLB1-36/8	GLB1-36/9	GLB1-36/10	GLB1-36/11	GLB1-36/12
2	36		GLB2-36/7	GLB2-36/8	GLB2-36/9	GLB2-36/10	GLB2-36/11	GLB2-36/12
3	36			GLB3-36/8	GLB3-36/9	GLB3-36/10	GLB3-36/11	GLB3-36/12
4	41			GLB4-41/8	GLB4-41/9	GLB4-41/10	GLB4-41/11	GLB4-41/12



▷ Sibille Accessories (RGX*)

a range of products for use in conjunction with Sibille Electrical Insulating Gloves by Unigloves


	<p>▷ Sibille RGX-SG Leather Over Gloves</p> <p>Features</p> <ul style="list-style-type: none"> • Manufactured from quality leather • Adjustable VELCRO® strap • Offering mechanical protection for electrical insulating gloves • The cowhide leather is treated with silicone 	<p>Colour: Cream / Grey Packaging: 1 pair Sizes: A - G (6 to 12) EN388: 2122X EN407: 4XXXXX</p> <p><small>VELCRO® is a registered trademark of Velcro Industries B.V.</small></p>
	<p>▷ Sibille RGX-VP Portable Inflator</p> <p>Features</p> <ul style="list-style-type: none"> • Recommended for field inspection before/after each use but also for visual periodic inspection 	<p>Packaging: 1 unit Sizes: 6 to 12 EN388: 2121</p>
	<p>▷ Sibille RGX-SAC Protective Bag</p> <p>Features</p> <ul style="list-style-type: none"> • Carry handle and inner pocket • Fabric reinforced with PVC 	<p>Colour: Black / Orange Dimensions: 45cm x 18cm</p>
	<p>▷ Sibille RGX-FT Talcum Powder</p> <p>Features</p> <ul style="list-style-type: none"> • 100ml Bottle 	<p>Colour: White</p>
	<p>▷ Sibille RGX-1704 Rubber Cleaning Fluid</p> <p>Features</p> <ul style="list-style-type: none"> • 750 ML Bottle 	<p>Colour: White</p>
	<p>▷ Sibille RGX-BG Insulating Gloves Storage Case</p> <p>Features</p> <ul style="list-style-type: none"> • Plastic box suitable for any insulating gloves from class 00 to class 4 • Equipped with 4 pre-drilled holes on rear panel • Transparent anti-UV window • Large interior volume 	<ul style="list-style-type: none"> • Large enough to accommodate extra items • Integrated and retractable handle • Equipped with a glove retention tab <p>Colour: Orange / Clear</p>
	<p>▷ Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder</p> <p>AS PER RGX-BG INCLUSIVE OF TALCUM POWDER</p>	
	<p>▷ Sibille RGX-SGL Protective Bag - Extra Long</p> <p>Features</p> <ul style="list-style-type: none"> • Carry handles, two inner pockets (81x26cm) • Fabric reinforced with PVC resistant finish 	<p>Colour: Black / Orange Dimensions: 81cm x 26cm</p>
		<p>▷ Sibille RGX-MC Fingerless Cotton Under Gloves</p> <p>Features</p> <ul style="list-style-type: none"> • Natural cotton • Use under electricians insulating gloves for comfort <p>Colour: Natural Packaging: 10 pairs by size</p>
		<p>▷ Sibille RGX-GCT Cotton Under Gloves</p> <p>Features</p> <ul style="list-style-type: none"> • Natural cotton • Use under electricians insulating gloves for comfort <p>Colour: Natural Packaging: 10 pairs by size</p>

Sectors: Utilities • Construction • Automotive • Rail



household gloves

 Page 48 Allsafe Household | UGHG300**

 Page 49 Unicare Household | UCHG300**



▷ Allsafe Household | UGHG300**

cotton flock-lined · 4 colours · medium weight · latex household gloves

Features

- Available in four colours
- Cotton flock lined
- Anatomically shaped and tapered at the wrist
- Beaded cuff
- Manufactured with diamond textured palms and fingertips
- Medium-weight construction

Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Light duty maintenance
- Local Authority work

Packaging:

- 1 pair per polybag
- 12 pairs per master polybag
- 12 master polybags per case

Sizes & Dimensions

XS	-	-
S	95 ± 5 mm	≥ 300 mm
M	105 ± 5 mm	≥ 300 mm
L	110 ± 5 mm	≥ 300 mm
XL	120 ± 5 mm	≥ 300 mm

Single Wall Thickness




- ① 0.37 mm
- ② 0.31 mm
- ③ 0.21 mm

Weight: 28.0g

▷ Blue | UGHG300*B

Order Codes | Sizing:


- UGHG3002B | Small (7)
- UGHG3003B | Medium (8)
- UGHG3004B | Large (9)
- UGHG3005B | Extra large (10)



▷ Green | UGHG300*G

Order Codes | Sizing:


- UGHG3002G | Small (7)
- UGHG3003G | Medium (8)
- UGHG3004G | Large (9)
- UGHG3005G | Extra large (10)



▷ Pink | UGHG300*P

Order Codes | Sizing:


- UGHG3002P | Small (7)
- UGHG3003P | Medium (8)
- UGHG3004P | Large (9)
- UGHG3005P | Extra large (10)



▷ Yellow | UGHG300*Y

Order Codes | Sizing:

- UGHG3002Y | Small (7)
- UGHG3003Y | Medium (8)
- UGHG3004Y | Large (9)
- UGHG3005Y | Extra large (10)





▷ Unicare Household | UCHG300**

cotton flock-lined · 4 colours · light weight · latex household gloves

Features

- Available in four colours
- Cotton flock lined
- Free from powder
- Tested to EN1186
- Anatomically shaped and tapered at the wrist
- Beaded cuff
- Manufactured with diamond textured palms and fingertips
- Lightweight construction

Sectors

- Care home work • Emergency services
- Cleaning and janitorial • Healthcare
- Dentistry • Dental hygiene • Janitorial
- Food processing • General assembly
- Hospital and clinical duties
- Local Authority work • Printing
- Painting and decorating

Packaging:

- 1 pair per polybag
- 12 pairs per master polybag
- 12 master polybags per case

Sizes & Dimensions

Size	Hand Width (mm)	Hand Length (mm)
XS	-	-
S	95 ± 5 mm	≥ 300 mm
M	105 ± 5 mm	≥ 300 mm
L	110 ± 5 mm	≥ 300 mm
XL	120 ± 5 mm	≥ 300 mm

Single Wall Thickness




- ① 0.28 mm
- ② 0.25 mm
- ③ 0.15 mm

Weight: 20.0 g

▷ Blue | UCHG300*B

Order Codes | Sizing:


- UCHG3002B | Small (7)
- UCHG3003B | Medium (8)
- UCHG3004B | Large (9)
- UCHG3005B | Extra large (10)



▷ Green | UCHG300*G

Order Codes | Sizing:


- UCHG3002G | Small (7)
- UCHG3003G | Medium (8)
- UCHG3004G | Large (9)
- UCHG3005G | Extra large (10)



▷ Pink | UCHG300*P

Order Codes | Sizing:


- UCHG3002P | Small (7)
- UCHG3003P | Medium (8)
- UCHG3004P | Large (9)
- UCHG3005P | Extra large (10)



▷ Yellow | UCHG300*Y

Order Codes | Sizing:

- UCHG3002Y | Small (7)
- UCHG3003Y | Medium (8)
- UCHG3004Y | Large (9)
- UCHG3005Y | Extra large (10)





Organic
Food
Delivered





disposables

- Page 55 Advanced
- Page 61 PRO.TECT
- Page 67 Pearl
- Page 71 Select Black
- Page 77 Unicare
- Page 89 Fortified
- Page 91 Vitality
- Page 95 Skincare
- Page 97 Ancillary




when should I be using gloves



LATEX ALLERGIES

Check if the patient or healthcare worker is allergic to natural rubber latex BEFORE using gloves of this material. When single use natural rubber latex gloves are to be used, then these must be non-powdered, low free residual proteins (max 50µg/g).




GLOVES FOR CLEANING

<p>Red Bathrooms, toilets, washrooms, basins, showers and bathroom floors.</p>	<p>Blue General areas including wards, offices and basins in public areas.</p>	<p>Green Catering areas, ward kitchen areas and patient food service at ward level.</p>	<p>Yellow Isolation areas.</p>	<p>All trusts should be using the national colour coding scheme for cleaning materials and equipment. We recommend the use of PVC or latex household gloves or nitrile examination gloves when cleaning.</p>
---	---	--	---	--

GLOVES FOR FOOD HANDLING

If gloves are required while handling food, we recommend the use of food safe, nitrile or vinyl gloves. Look out for the glass and fork food safe symbol.





which gloves should I be using?


Procedures involving a LOW RISK of exposure to contact with BODILY FLUIDS or BIOLOGICAL HAZARDS	Procedures involving a HIGH RISK of exposure to contact with BODILY FLUIDS or BIOLOGICAL HAZARDS	Procedures requiring a STERILE FIELD and HIGH BARRIER PROTECTION	All SURGERY and invasive RADIOLOGICAL procedures
EXAMPLE PROCEDURES			
<ul style="list-style-type: none"> • Oral care. • Emptying urinals / bedpans. • Handling low risk specimens. • Clinical cleaning. • Dressing low risk wounds. • Endotracheal suction. • Applying creams. • Touching patients with rash. • Making beds. • Changing clothing. 	<ul style="list-style-type: none"> • Blood spillages. • Faecal incontinence. • Blood glucose monitoring. • Administering enemas. • Rectal examinations. • Handling cytotoxic material. • Handling disinfectants • Venepuncture / cannulation. • Vaginal examination. • Non-surgical dentistry. • Non-surgical podiatry. • Handling dirty/used instruments. • Processing laboratory specimens. 	<ul style="list-style-type: none"> • Lumbar punctures. • Liver biopsies. • Clinical care to surgical wounds / drain sites. • Procedures for neutropenic patients. • Insertion of urinary catheters • Vaginal examination in obstetrics. 	<ul style="list-style-type: none"> • Any surgical procedure. • Vaginal delivery. • Invasive radiological procedures. • Vascular access and procedures. • Preparing total parental nutrition. • Preparing chemotherapeutic agents.
RECOMMENDED GLOVE TYPE			
<p>Non-sterile examination gloves. Nitrile or Vinyl.</p>	<p>Non-sterile examination gloves. Nitrile, Latex or Neoprene.</p>	<p>Sterile examination gloves. Nitrile or Latex in obstetrics.</p>	<p>Sterile surgical gloves.</p>




donning & doffing

Non-sterile examination gloves


▷ Donning gloves




Take out a glove from its original box.




Touch only a restricted surface of the glove corresponding to the wrist (at the top edge of the cuff).




Don the first glove being careful to avoid puncturing the glove with the nails of the ungloved hand.



Take the second glove with the bare hand and touch only a restricted surface.




To avoid touching the skin of the forearm of ungloved hand, turn the extending surface of the glove to be donned on to the folded fingers of the gloved hand, thus permitting to glove the second hand.




Once gloved, hands should not touch anything else that is not defined by indications and conditions for glove use.

▷ Doffing gloves



Pinch one glove at the wrist level to remove it, without touching the skin of the forearm, and peel away from the hand, thus allowing the glove to turn inside out.










Hold the removed glove in the gloved hand and slide the fingers of the ungloved hand inside between the glove and the wrist. Remove the second glove by rolling it down the hand and fold into the first glove.



Discard the removed gloves.



Advanced

-  Page 56 BioTouch | GM008*
-  Page 56 BioTouch Black | GM009*
-  Page 58 Kooltouch | GM004*
-  Page 58 Stronghold | GM006*
-  Page 59 Stronghold+ | GM007*
-  Page 59 Supergrip | GM002*
-  Page 60 Zero | GM005*



▷ BioTouch | GM008* & GM009*

biodegradable · AQL 1.5 · chemical tested · violet blue & black
medical grade · medium weight · nitrile · examination gloves

Features

- >91% biodegradation within 630 days
- Contains innovative biodegradable technology
- Tested to EN374
- Tested to ASTM D5511 and ASTM D5526
- AQL 1.5
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured fingertips
- Touchscreen compatible"

Sectors

- Food
- Automotive
- Aerospace
- Chemical manufacture and use
- Dentistry
- Dental hygiene
- Electronics
- Engineering
- Food processing
- Healthcare
- Laboratory work
- Manufacturing and assembly
- Pharmaceutical work
- Printing
- Tattoo"

Order Codes | Sizing:

Violet blue



GM0081	Extra Small
GM0082	Small
GM0083	Medium
GM0084	Large
GM0085	Extra large

Black

GM0091	Extra Small
GM0092	Small
GM0093	Medium
GM0094	Large
GM0095	Extra large



Sizes & Dimensions



	Width	Length
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness

①	0.10 mm
②	0.07 mm
③	0.05 mm

Weight: 3.5 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes



▷ Violet Blue





▷ Black





▷Kooltouch | GM004*

offline washed · chemical tested · blue · medical grade
medium weight · nitrile · examination gloves

Features

- Washed offline
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Aerospace
- Chemical manufacture and use
- Dentistry · Dental hygiene
- Electronics · Engineering
- Food processing · Healthcare
- Laboratory work · Printing
- Manufacturing and assembly
- Pharmaceutical work

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.13 mm
S 80 ± 10 mm	≥ 240 mm	② 0.09 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	
		Weight: 4.7 g

Order Codes | Sizing:
 GM0041 | Extra small
 GM0042 | Small
 GM0043 | Medium
 GM0044 | Large
 GM0045 | Extra large



▷Stronghold | GM006*

AQL 0.65 · chemical tested · chemotherapy drug tested · purple
medical grade · heavy weight · nitrile · examination gloves

Features

- Tested to EN374
- Tested to ASTM D6978-05
- AQL 0.65 and EN455 parts 1-4
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Heavy-weight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Aerospace
- Chemical manufacture and use
- Dentistry · Dental hygiene
- Electronics · Engineering
- Food processing · Healthcare
- Laboratory work · Printing
- Manufacturing and assembly
- Pharmaceutical work

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.15 mm
S 80 ± 10 mm	≥ 240 mm	② 0.12 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.09 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	
		Weight: 6.2 g

Order Codes | Sizing:
 GM0061 | Extra small
 GM0062 | Small
 GM0063 | Medium
 GM0064 | Large
 GM0065 | Extra large



▷ Stronghold+ | GM007*

extended cuff · AQL 0.65 · enhanced chemical splash protection
silicone free · purple · medical grade · heavy weight · nitrile
unique Unigloves formulation · single use gloves

Features

- Free from silicone
- Tested to EN374
- Tested to ASTM D6978-05
- Extended cuff (300mm glove length)
- AQL 0.65 and EN455 parts 1-4
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Heavy-weight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
GM0071 | Extra small
GM0072 | Small
GM0073 | Medium
GM0074 | Large
GM0075 | Extra large

Sectors

- Aerospace · Dentistry · Dental hygiene
- Chemical manufacture and use
- Electronics · Engineering
- Food processing · Healthcare
- Laboratory work · Pharmaceutical work
- Manufacturing and assembly · Printing

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	295 ± 5 mm
S	80 ± 10 mm	295 ± 5 mm
M	95 ± 10 mm	295 ± 5 mm
L	110 ± 10 mm	295 ± 5 mm
XL	≥ 110 mm	295 ± 5 mm
		① 0.15 mm
		② 0.12 mm
		③ 0.09 mm
		Weight: 7.3 g



▷ Supergrip | GM002*

offline washed · chemical tested · natural · medical grade
medium weight · latex · examination gloves

Features

- Washed offline
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
GM0021 | Extra small
GM0022 | Small
GM0023 | Medium
GM0024 | Large
GM0025 | Extra large

Sectors

- Aerospace · Dentistry · Dental hygiene
- Chemical manufacture and use
- Electronics · Engineering
- Food processing · Healthcare
- Laboratory work · Pharmaceutical work
- Manufacturing and assembly · Printing

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm
		① 0.13 mm
		② 0.11 mm
		③ 0.08 mm
		Weight: 6.0 g



▷ Zero | GM005*

zinc, sulphur and accelerator free • low modulus • anti-static blue • medical grade • medium weight • nitrile • examination gloves

Features

- Free from zinc, sulphur and accelerators
- Tested to EN374
- Low modulus formulation
- Anti-static / EN1149 compliant
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Free from phthalates
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Manufactured with textured fingertips
- Medium-weight construction
- Touchscreen compatible


Sectors

- Aerospace
- Dentistry
- Dental hygiene
- Chemical manufacture and use
- Electronics
- Engineering
- Food processing
- Healthcare
- Laboratory work
- Pharmaceutical work
- Manufacturing and assembly
- Printing

Order Codes | Sizing:

- GM0051 | Extra small
- GM0052 | Small
- GM0053 | Medium
- GM0054 | Large
- GM0055 | Extra large

Sizes & Dimensions



Size	Width (mm)	Length (mm)
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness

- ① 0.10 mm
- ② 0.08 mm
- ③ 0.05 mm

Weight: 3.8 g










Packaging:

Each dispenser box contains 100 gloves
 Each case contains 10 dispenser boxes





PRO.TECT

-  Page 62 PRO.TECT Black | GA004*
-  Page 63 PRO.TECT Black HD | GA006*
-  Page 63 PRO.TECT Black HD+ | GA007*
-  Page 64 PRO.TECT Blue | GU004*
-  Page 64 PRO.TECT Blue XHD+ | GA010*
-  Page 65 PRO.TECT Green HD | GA008*
-  Page 65 PRO.TECT Green HD+ | GA009*
-  Page 66 PRO.TECT Latex HD | GA001*
-  Page 66 PRO.TECT Orange HD | GA005*



▷ PRO.TECT Black | GA004*

silicone free · chemical tested · black
heavy weight · nitrile · single use gloves

Features

- Free from silicone
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from latex
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Heavy-weight construction
- Touchscreen compatible


Sectors

- Automotive
- Automotive maintenance and repair
- Chemical manufacture and use
- Construction • Electronics
- Engineering • Laboratory work
- Floristry and gardening
- General assembly
- Glass • Inspection
- Light duty maintenance
- Utility • Maintenance • Repair
- Manufacturing and assembly
- Painting and decorating

Order Codes | Sizing:

- GA0042 | Small
- GA0043 | Medium
- GA0044 | Large
- GA0045 | Extra large

Sizes & Dimensions



XS	-	-
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness




- ① 0.13 mm
- ② 0.09 mm
- ③ 0.08 mm

Weight: 5.0g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





▷ PRO.TECT Black HD | GA006*

enhanced chemical splash protection • silicone free • black • heavy duty • unique Unigloves formulation • single use gloves

Features

- Free from silicone
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Automotive • Automotive maintenance and repair • Construction • Electronics
- Chemical manufacture and use
- Engineering • Floristry and gardening
- General assembly • Glass • Inspection
- Laboratory work • Light duty maintenance
- Maintenance • Repair • Utility
- Manufacturing and assembly
- Painting and decorating

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm
		① 0.15 mm
		② 0.12 mm
		③ 0.09 mm
		Weight: 6.2 g

Order Codes | Sizing:
GA0061 | Extra Small
GA0062 | Small
GA0063 | Medium
GA0064 | Large
GA0065 | Extra large



▷ PRO.TECT Black HD+ | GA007*

extended cuff • enhanced chemical splash protection • silicone free black • heavy duty • unique Unigloves formulation • single use gloves

Features

- Free from silicone
- Extended cuff (300mm glove length)
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Automotive • Automotive maintenance and repair • Construction • Electronics
- Chemical manufacture and use
- Engineering • Floristry and gardening
- General assembly • Glass • Inspection
- Laboratory work • Light duty maintenance
- Maintenance • Repair • Utility
- Manufacturing and assembly
- Painting and decorating

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	295 ± 5 mm
S	80 ± 10 mm	295 ± 5 mm
M	95 ± 10 mm	295 ± 5 mm
L	110 ± 10 mm	295 ± 5 mm
XL	≥ 110 mm	295 ± 5 mm
		① 0.15 mm
		② 0.12 mm
		③ 0.09 mm
		Weight: 7.3 g

Order Codes | Sizing:
GA0071 | Extra Small
GA0072 | Small
GA0073 | Medium
GA0074 | Large
GA0075 | Extra large



▷ PRO.TECT Blue | GU004*

silicone free • chemical tested • blue • heavy weight • nitrile
single use gloves

Features

- Free from silicone
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from latex
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Heavy-weight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Automotive • Electronics • Engineering
- Automotive maintenance and repair
- Chemical manufacture and use • Utility
- Construction • Floristry and gardening
- General assembly • Glass • Inspection
- Laboratory work • Light duty maintenance
- Maintenance • Manufacturing and assembly
- Painting and decorating • Repair

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.13 mm
S 80 ± 10 mm	≥ 240 mm	② 0.09 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.08 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	
		Weight: 5.0 g

Order Codes | Sizing:

- GU0041 | Extra small
- GU0042 | Small
- GU0043 | Medium
- GU0044 | Large
- GU0045 | Extra large



▷ PRO.TECT Blue XHD+ | GA010*

extended cuff • chemical tested • blue • ultra-heavy weight • nitrile
unique Unigloves formulation • single use gloves

Features

- Free from silicone
- Extended cuff (300 mm glove length)
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
50 gloves per dispenser
10 dispensers per case



Sectors

- Automotive • Automotive maintenance and repair • Construction • Electronics
- Chemical manufacture and use • Repair
- Engineering • Floristry and gardening
- General assembly • Glass • Inspection
- Laboratory work • Light duty maintenance
- Maintenance • Utility • Pharmaceutical work
- Manufacturing and assembly
- Painting and decorating

Sizes & Dimensions		Single Wall Thickness
XS ≤80 mm	295 ± 5 mm	① 0.23 mm
S 80 ± 10 mm	295 ± 5 mm	② 0.20 mm
M 95 ± 10 mm	295 ± 5 mm	③ 0.17 mm
L 110 ± 10 mm	295 ± 5 mm	
XL ≥ 110 mm	295 ± 5 mm	
		Weight: 11.6 g

Order Codes | Sizing:

- GA0102 | Small
- GA0103 | Medium
- GA0104 | Large
- GA0105 | Extra large



▷ PRO.TECT Green HD | GA008*

enhanced chemical splash protection · silicone free · green
heavy duty · unique Unigloves formulation · single use gloves

Features

- Free from silicone
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Automotive · Automotive maintenance and repair · Construction · Electronics
- Chemical manufacture and use · Repair
- Engineering · Floristry and gardening
- General assembly · Glass · Inspection
- Laboratory work · Light duty maintenance
- Maintenance · Pharmaceutical work
- Manufacturing and assembly
- Painting and decorating · Utility

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm
		① 0.15 mm
		② 0.12 mm
		③ 0.09 mm
Weight: 6.2 g		

Order Codes | Sizing:

- GA0081 | Extra Small
- GA0082 | Small
- GA0083 | Medium
- GA0084 | Large
- GA0085 | Extra large



▷ PRO.TECT Green HD+ | GA009*

extended cuff · enhanced chemical splash protection · silicone free
green · heavy duty · unique Unigloves formulation · single use gloves

Features

- Free from silicone
- Extended cuff (300mm glove length)
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingers
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case



Sectors

- Automotive · Automotive maintenance and repair · Construction · Electronics
- Chemical manufacture and use
- Engineering · Floristry and gardening
- General assembly · Glass · Inspection
- Laboratory work · Light duty maintenance
- Maintenance · Repair · Utility
- Manufacturing and assembly · Painting and decorating · Pharmaceutical work

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	295 ± 5 mm
S	80 ± 10 mm	295 ± 5 mm
M	95 ± 10 mm	295 ± 5 mm
L	110 ± 10 mm	295 ± 5 mm
XL	≥ 110 mm	295 ± 5 mm
		① 0.15 mm
		② 0.12 mm
		③ 0.09 mm
Weight: 7.3 g		

Order Codes | Sizing:

- GA0091 | Extra Small
- GA0092 | Small
- GA0093 | Medium
- GA0094 | Large
- GA0095 | Extra large



▷PRO.TECT Latex HD | GA001*

extended cuff · chemical tested · blue
ultra heavy weight · latex · single use gloves

Features

- Tested to EN374
- Extended cuff (300 mm glove length)
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Ambidextrous
- Manufactured using high-quality latex
- Beaded cuff
- Manufactured with textured palms and fingertips
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
50 gloves per dispenser
10 dispensers per case

Sectors

- Automotive · Electronics · Engineering
- Automotive maintenance and repair
- Chemical manufacture and use · Utility
- Construction · Floristry and gardening
- General assembly · Glass · Inspection
- Laboratory work · Light duty maintenance
- Maintenance · Manufacturing and assembly
- Painting and decorating · Repair

Sizes & Dimensions		Single Wall Thickness
XS	-	① 0.22 mm
S	80 ± 10 mm	② 0.21 mm
M	95 ± 10 mm	③ 0.12 mm
L	110 ± 10 mm	
XL	≥ 110 mm	
		Weight: 13.0 g

Order Codes | Sizing:

- GA0012 | Small
- GA0013 | Medium
- GA0014 | Large
- GA0015 | Extra large



▷PRO.TECT Orange HD | GA005*

silicone free · diamond textured · chemical tested · orange
ultra heavy weight · nitrile · single use gloves

Features

- Free from silicone
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with diamond textured palms and fingers (and back of hand)
- Ultra-heavyweight construction
- Touchscreen compatible



Packaging:
100 gloves per dispenser
10 dispensers per case

Sectors

- Automotive · Automotive maintenance and repair · Construction · Electronics
- Chemical manufacture and use · Repair
- Engineering · Floristry and gardening
- General assembly · Glass · Inspection
- Laboratory work · Light duty maintenance
- Maintenance · Utility
- Manufacturing and assembly
- Painting and decorating

Sizes & Dimensions		Single Wall Thickness
XS	-	① 0.15 mm
S	-	② 0.13 mm (flat area) 0.22 mm (raised area)
M	95 ± 10 mm	③ 0.09 mm
L	110 ± 10 mm	
XL	≥ 110 mm	
		Weight: 7.6 g













Order Codes | Sizing:

- GA0052 | Small
- GA0053 | Medium
- GA0054 | Large
- GA0055 | Extra large





PEARL

-  Page 69 Pearl Aqua Blue | GP009*
-  Page 69 Pearl Black | GP003*
-  Page 69 Pearl Blue | GP001*
-  Page 69 Pearl Burgundy | GP012*
-  Page 69 Pearl Green | GP004*
-  Page 69 Pearl Orange | GP013*
-  Page 70 Pearl Pink | GP005*
-  Page 70 Pearl Red | GP006*
-  Page 70 Pearl Sapphire | GP008*
-  Page 70 Pearl Violet | GP007*
-  Page 70 Pearl White | GP002*
-  Page 70 Pearl Yellow | GP011*



▷ Pearl | GPO***

12 colours · medical grade · medium weight · nitrile examination gloves


Features

- Tested to EN374
- Available in twelve colours
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Touchscreen compatible

Sectors

- Care home work
- Chemical manufacture and use
- Cleaning and janitorial
- Dentistry
- Dental hygiene
- Emergency services
- Floristry and gardening
- Food processing
- Hair and beauty
- Healthcare
- Hospital and clinical duties
- Janitorial
- Painting and decorating
- Piercing
- Tattoo

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm	① 0.10 mm
S	80 ± 10 mm	≥ 240 mm	② 0.08 mm
M	95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L	110 ± 10 mm	≥ 240 mm	
XL	≥ 110 mm	≥ 240 mm	

Weight: 3.8 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





▷ Aqua Blue | GP009*

Order Codes | Sizing:

- GP0091 | Extra Small
- GP0092 | Small
- GP0093 | Medium
- GP0094 | Large
- GP0095 | Extra large



▷ Black | GP003*

Order Codes | Sizing:

- GP0031 | Extra Small
- GP0032 | Small
- GP0033 | Medium
- GP0034 | Large
- GP0035 | Extra large



▷ Blue | GP001*

Order Codes | Sizing:

- GP0011 | Extra Small
- GP0012 | Small
- GP0013 | Medium
- GP0014 | Large
- GP0015 | Extra large



▷ Burgundy | GP012*

Order Codes | Sizing:

- GP0122 | Small
- GP0123 | Medium
- GP0124 | Large
- GP0125 | Extra large



▷ Green | GP004*

Order Codes | Sizing:

- GP0042 | Small
- GP0043 | Medium
- GP0044 | Large
- GP0045 | Extra large



▷ Orange | GP013*

Order Codes | Sizing:

- GP0132 | Small
- GP0133 | Medium
- GP0134 | Large
- GP0135 | Extra large






▷Pink | GP005*

Order Codes | Sizing:


- GP0051 | Extra Small
- GP0052 | Small
- GP0053 | Medium
- GP0054 | Large
- GP0055 | Extra large



▷Red | GP006*

Order Codes | Sizing:


- GP0062 | Small
- GP0063 | Medium
- GP0064 | Large
- GP0065 | Extra large



▷Sapphire | GP008*

Order Codes | Sizing:


- GP0081 | Extra Small
- GP0082 | Small
- GP0083 | Medium
- GP0084 | Large
- GP0085 | Extra large



▷Violet | GP007*

Order Codes | Sizing:


- GP0071 | Extra Small
- GP0072 | Small
- GP0073 | Medium
- GP0074 | Large
- GP0075 | Extra large



▷White | GP002*

Order Codes | Sizing:

- GP0021 | Extra Small
- GP0022 | Small
- GP0023 | Medium
- GP0024 | Large
- GP0025 | Extra large



▷Yellow | GP011*








Order Codes | Sizing:

- GP0111 | Extra Small
- GP0112 | Small
- GP0113 | Medium
- GP0114 | Large
- GP0115 | Extra large





SELECT BLACK

-  Page 72 Select Black Latex | GT002*
-  Page 72 Select Black Latex Extended Cuff | GT001*
-  Page 73 Select Black Nitrile | GT003*
-  Page 74 Select Black Razors | RT001
-  Page 74 Select Black Face Masks | FT001
-  Page 74 Select Black Couch Covers | 530-100
-  Page 75 Select Black Swabs | ST001
-  Page 75 Select Black Cups | BCT001
-  Page 75 Select Black Lap Cloths | 5125-SCH



▷ Select Black Latex | GT002*

offline washed · black · chemical tested · medical grade
medium weight · latex · examination gloves

Features

- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Matt-black finish
- Free from powder
- Ambidextrous
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible




Packaging:
100 gloves per dispenser
10 dispensers per case

Sectors

- Hair and beauty
- Piercing
- Tattoo

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm	① 0.14 mm
S	80 ± 10 mm	≥ 240 mm	② 0.11 mm
M	95 ± 10 mm	≥ 240 mm	③ 0.08 mm
L	110 ± 10 mm	≥ 240 mm	
XL	≥ 110 mm	≥ 240 mm	

Weight: 6.1 g



Order Codes | Sizing:

- GT0021 | Extra small
- GT0022 | Small
- GT0023 | Medium
- GT0024 | Large
- GT0025 | Extra large



▷ Select Black Latex Extended Cuff | GT001*

extended cuff · offline washed · black · chemical tested
medical grade · medium weight · latex · examination gloves

Features

- Tested to EN374
- Extended cuff (300mm glove length)
- AQL 1.5 and EN455 parts 1-4
- Matt-black finish
- Free from powder
- Ambidextrous
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible




Packaging:
100 gloves per dispenser
10 dispensers per case

Sectors

- Hair and beauty
- Piercing
- Tattoo

Sizes & Dimensions



XS	75 ± 5 mm	≥ 300 mm	① 0.16 mm
S	80 ± 10 mm	≥ 300 mm	② 0.13 mm
M	95 ± 10 mm	≥ 300 mm	③ 0.08 mm
L	110 ± 10 mm	≥ 300 mm	
XL	≥ 110 mm	≥ 300 mm	

Weight: 7.8 g



Order Codes | Sizing:

- GT0011 | Extra small
- GT0012 | Small
- GT0013 | Medium
- GT0014 | Large
- GT0015 | Extra large



▷ Select Black Nitrile | GT003*

black · chemical tested · medical grade · medium weight nitrile · examination gloves

Features

- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Manufactured with an enhanced fingertips grip
- Matt-black finish
- Free from latex
- Free from powder
- Ambidextrous
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Medium-weight construction
- Touchscreen compatible

Sectors

- Hair and beauty
- Piercing
- Tattoo

Order Codes | Sizing:

- GT0031 | Extra small
- GT0032 | Small
- GT0033 | Medium
- GT0034 | Large
- GT0035 | Extra large

Sizes & Dimensions

XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm


Single Wall Thickness


①	0.11 mm
②	0.08 mm
③	0.05 mm

Weight: 3.8 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





▷ Select Black Razors | RT001

stainless steel blade · single-edged · black · heavy duty single use razors

Features

- Comes complete with protective cap for additional hygiene
- Black colour to complement the Select Black range
- Stainless steel blade
- Single-edged
- Non-sterile
- Single use
- 100 per pack
- 10 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo



Colour Black	Order Code: RT001
------------------------	-----------------------------



▷ Select Black Face Masks | FT001

disposable mask · black · latex free · with elastic band

Features

- Four layer, non-fibreglass, medium filter
- Bacterial filter performance 99%
- Latex free
- Integrated nose bridge
- EN 14683:2014 Type IIR
- Water repellent
- Soft, round skin-friendly elastic band
- Black
- 50 per pack
- 10 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo



Colour Black	Order Code: FT001
------------------------	-----------------------------



▷ Select Black Couch Covers | 530-100

disposable couch protector · black · CPE · elasticated

Features

- Elasticated
- Black colour to complement the Select Black range
- Single use
- 2100 mm x 900 mm
- 10 per pack
- 10 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo



Colour Black	Order Code: 530-100
------------------------	-------------------------------



▷ Select Black Swabs | ST001

skin cleanser · black · individually packed · non-sterile · single use



Features

- Two-ply, individually foil wrapped
- Saturated with 70% isopropyl alcohol, 30% deionised water
- 70% Polyester, 30% Viscose, non-woven, lint free
- For external use only
- 100 per pack
- 100 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo
- General medical applications

Colour
Black

Order Code:
ST001



▷ Select Black Cups | BCT001

disposable cups · black · plastic



Features


- Plastic
- Food safe
- Black
- 180 ml
- 100 per pack
- 30 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo

Colour
Black

Order Code:
BCT001



▷ Select Black Lap Cloths | 5125-SCH

disposable lap cloths · black · paper · elasticated



Features

- Paper
- PE coating
- Black colour to complement the Select Black range
- Absorbent
- Single use / Do not reuse
- Keep the area clean
- 450 mm x 330 mm
- 50 per pack
- 10 packs per case

Sectors

- Hair and beauty
- Piercing
- Tattoo












Colour
Black

Order Code:
5125-SCH





UNICARE

-  Page 78 Unicare Nitrile (100) | GS003*
-  Page 78 Unicare Nitrile (200) | GS004*
-  Page 79 Unicare Flex Nitrile (100) | GS021*
-  Page 79 Unicare Flex Nitrile (200) | GS022*
-  Page 80 Unicare Unitrile | GS005*
-  Page 80 Unicare Clear Vinyl | GS006*
-  Page 81 Unicare Clear Vinyl (EN455) | GS006*-A
-  Page 81 Unicare Clear Vinyl (Powdered) | GS007*
-  Page 82 Unicare Blue Vinyl | GS008*
-  Page 82 Unicare Blue Vinyl (EN455) | GS008*-A
-  Page 83 Unicare Blue Vinyl (Powdered) | GS009*
-  Page 84 Unicare Stretch Vinyl (EN455) | GS013*-A
-  Page 85 Unicare Green Vinyl | GS012*
-  Page 85 Unicare Red Vinyl | GS011*
-  Page 86 Unicare Yellow Vinyl | GS010*
-  Page 86 Unicare Latex (EN455) | GS001*
-  Page 87 Unicare Latex (Powdered) | GS002*
-  Page 87 Unicare TPE Gloves (Blue) | GS023*



▷ Unicare Nitrile | GS003* & GS004* blue · medical grade · light weight · nitrile examination gloves

Features

- Tested to EN374 AQL 1.5 and EN455 parts 1-4
- Free from powder
- Free from phthalates
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured fingertips
- Lightweight construction
- Touchscreen compatible

Sectors

- Care home work
- Cleaning and janitorial
- Dentistry • Dental hygiene
- Emergency services
- Food processing
- General assembly • Healthcare
- Hospital and clinical duties
- Janitorial • Local Authority work
- Painting and decorating • Printing

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes




Order Codes

Sizing:

100	200	
GS0031	GS0041	Extra Small
GS0032	GS0042	Small
GS0033	GS0043	Medium
GS0034	GS0044	Large
GS0035	GS0045	Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness



①	0.09 mm
②	0.08 mm
③	0.05 mm

Weight: 3.5 g



100



200 gloves per box
10 boxes per case



200



▷ Unicare Flex Nitrile | GS021* & GS022*

blue · ultra light weight · nitrile
single use gloves

Features

- AQL 4.0
- Free from powder
- Free from phthalates
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured fingertips
- Ultra-lightweight construction

Sectors


- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Local Authority work
- Painting and decorating
- Printing

Order Codes

Sizing:


100	200	
GS0211	GS0221	Extra Small
GS0212	GS0222	Small
GS0213	GS0223	Medium
GS0214	GS0224	Large
GS0215	GS0225	Extra large

Sizes & Dimensions



XS	-	-
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness



①	0.06 mm
②	0.05 mm
③	0.04 mm

Weight: 2.2 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes



100



200



200 gloves per box
10 boxes per case



▷Unicare Nitrile | GS005*

blue · medical grade · heavy weight · nitrile/vinyl hybrid examination gloves

Features

- AQL 1.5 and EN455 parts 1-4
- Free from latex
- Free from powder
- Tested to EN1186
- Manufactured using a blend of high quality vinyl and nitrile
- Beaded cuff
- Heavy-weight construction

Sectors

- Care home work
- Cleaning and janitorial
- Dentistry · Dental hygiene
- Emergency services
- Food processing
- General assembly
- Healthcare
- Hospital and clinical duties
- Janitorial
- Local Authority work
- Painting and decorating
- Printing



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
 GS0052 | Small
 GS0053 | Medium
 GS0054 | Large
 GS0055 | Extra large

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.16 mm
S 80 ± 10 mm	≥ 240 mm	② 0.08 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	Weight: 5.0g



▷Unicare Clear Vinyl | GS006*

clear · medium weight · vinyl · single use gloves

Features

- AQL 4.0
- Free from latex and accelerators
- Free from powder
- Tested to EN1186
- Ambidextrous
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction

Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Local Authority work
- Painting and decorating
- Printing



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
 GS0062 | Small
 GS0063 | Medium
 GS0064 | Large
 GS0065 | Extra large

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.07 mm
S 80 ± 10 mm	≥ 240 mm	② 0.06 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	Weight: 4.0g



▷ Unicare Clear Vinyl | GS006*-A

clear · medical grade · medium weight · vinyl · examination gloves

Features

- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from latex and accelerators
- Free from powder
- Tested to EN1186
- Ambidextrous
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction



Packaging:
100 gloves per dispenser
10 dispensers per case

Sectors

- Care home work
- Cleaning and janitorial
- Dentistry • Dental hygiene
- Emergency services
- Food processing
- General assembly
- Healthcare • Janitorial
- Hospital and clinical duties
- Local Authority work • Printing
- Painting and decorating

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

①	0.07 mm
②	0.06 mm
③	0.05 mm

Weight: 4.5 g

Order Codes | Sizing:

- GS0062-A | Small
- GS0063-A | Medium
- GS0064-A | Large
- GS0065-A | Extra large



▷ Unicare Clear Vinyl | GS007*

clear · medium weight · vinyl · powdered single use gloves

Features

- AQL 4.0
- Free from latex and accelerators
- Tested to EN1186
- Ambidextrous
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction
- Lightly powdered



Packaging:
100 gloves per dispenser
10 dispensers per case

Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Local Authority work
- Painting and decorating
- Printing

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

①	0.07 mm
②	0.06 mm
③	0.05 mm

Weight: 4.0 g

Order Codes | Sizing:

- GS0072 | Small
- GS0073 | Medium
- GS0074 | Large
- GS0075 | Extra large





▷ Unicare Blue Vinyl | GS008*

blue · medium weight · vinyl · single use gloves

Features

- AQL 4.0
- Free from latex and accelerators
- Free from powder
- Tested to EN1186
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction

Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Local Authority work
- Painting and decorating
- Printing



Packaging:
100 gloves per dispenser
10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.07 mm
S 80 ± 10 mm	≥ 240 mm	② 0.06 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	Weight: 4.0g

Order Codes | Sizing:

- GS0082 | Small
- GS0083 | Medium
- GS0084 | Large
- GS0085 | Extra large



Order Codes | Sizing:

- GS0082-A | Small
- GS0083-A | Medium
- GS0084-A | Large
- GS0085-A | Extra large

▷ Unicare Blue Vinyl | GS008*-A

blue · medical grade · medium weight · vinyl · examination gloves

Features

- AQL 1.5 and EN455 parts 1-4
- Free from latex and accelerators
- Free from powder
- Tested to EN1186
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction

Sectors

- Care home work
- Cleaning and janitorial
- Dentistry • Dental hygiene
- Emergency services
- Food processing
- General assembly
- Healthcare
- Hospital and clinical duties
- Janitorial
- Local Authority work
- Painting and decorating
- Printing



Packaging:
100 gloves per dispenser
10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.07 mm
S 80 ± 10 mm	≥ 240 mm	② 0.06 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	Weight: 4.5g



▷ Unicare Blue Vinyl | GS009*

blue · medium weight · vinyl · powdered
single use gloves

Features

- AQL 4.0
- Free from latex and accelerators
- Tested to EN1186
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction
- Lightly powdered


Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Local Authority work
- Painting and decorating
- Printing

Order Codes | Sizing:

- GS0092 | Small
- GS0093 | Medium
- GS0094 | Large
- GS0095 | Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness



- ① 0.07 mm
- ② 0.06 mm
- ③ 0.05 mm

Weight: 4.0 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





▷ Unicare Stretch Vinyl | GS013*-A

natural · medical grade · medium weight · stretch vinyl examination gloves

Features

- AQL 1.5 and EN455 parts 1-4
- Free from latex and accelerators
- Free from powder
- Tested to EN1186
- Manufactured using high-quality vinyl
- Beaded cuff
- Medium-weight construction


Sectors

- Care home work
- Cleaning and janitorial
- Dentistry · Dental hygiene
- Emergency services
- Food processing
- General assembly
- Healthcare
- Hospital and clinical duties
- Janitorial
- Local Authority work
- Painting and decorating
- Printing

Order Codes | Sizing:

- GS0132-A | Small
- GS0133-A | Medium
- GS0134-A | Large
- GS0135-A | Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	85 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	105 ± 10 mm	≥ 240 mm
XL	≥ 115 mm	≥ 240 mm

Single Wall Thickness




- ① 0.07 mm
- ② 0.06 mm
- ③ 0.05 mm

Weight: 4.5 g

Packaging:

Each dispenser box contains 100 gloves
 Each case contains 10 dispenser boxes





▷ Unicare Green Vinyl | GS012*

vinyl · powder free · lighter weight · non-sterile · single use examination gloves

Features

- Made from synthetic vinyl
- Unicare Green Vinyl gloves are light weight and dexterous
- AQL 4.0
- Latex free
- Accelerator free
- Powder free

Sectors

- Food preparation
- Cleaning
- Care homes
- Food handling



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
GS0122 | Small
GS0123 | Medium
GS0124 | Large
GS0125 | Extra large

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	85 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	105 ± 10 mm	≥ 240 mm
XL	≥ 115 mm	≥ 240 mm
		① 0.07 mm
		② 0.06 mm
		③ 0.05 mm
		Weight: 4.5g



▷ Unicare Red Vinyl | GS011*

vinyl · powder free · lighter weight · non-sterile · single use examination gloves

Features

- Made from synthetic vinyl
- Unicare Red Vinyl gloves are light weight and dexterous
- AQL 4.0
- Latex free
- Accelerator free
- Powder free

Sectors

- Food preparation
- Cleaning
- Care homes
- Food handling



Packaging:
100 gloves per dispenser
10 dispensers per case



Order Codes | Sizing:
GS0112 | Small
GS0113 | Medium
GS0114 | Large
GS0115 | Extra large

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	85 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	105 ± 10 mm	≥ 240 mm
XL	≥ 115 mm	≥ 240 mm
		① 0.07 mm
		② 0.06 mm
		③ 0.05 mm
		Weight: 4.5g



▷Unicare Yellow Vinyl | GS010*

vinyl · powder free · lighter weight · non-sterile · single use examination gloves

Features

- Made from synthetic vinyl
- Unicare Yellow Vinyl gloves are light weight and dexterous
- AQL 4.0
- Latex free
- Accelerator free
- Powder free

Sectors

- Food preparation
- Cleaning
- Care homes
- Food handling



Packaging:
100 gloves per dispenser
10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.07 mm
S 85 ± 10 mm	≥ 240 mm	② 0.06 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 105 ± 10 mm	≥ 240 mm	
XL ≥ 115 mm	≥ 240 mm	Weight: 4.5g

Order Codes | Sizing:

- GS0102 | Small
- GS0103 | Medium
- GS0104 | Large
- GS0105 | Extra large



▷Unicare Latex | GS001*

natural · medical grade · medium weight · latex examination gloves

Features

- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Free from phthalates
- Tested to EN1186
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible

Sectors

- Care home work
- Cleaning and janitorial
- Dentistry • Dental hygiene
- Emergency services
- Food processing
- General assembly
- Healthcare • Hospital and clinical duties
- Janitorial • Local Authority work
- Painting and decorating
- Printing



Packaging:
100 gloves per dispenser
10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS 75 ± 5 mm	≥ 240 mm	① 0.12 mm
S 80 ± 10 mm	≥ 240 mm	② 0.10 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.08 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	Weight: 5.7g

Order Codes | Sizing:

- GS0011 | Extra small
- GS0012 | Small
- GS0013 | Medium
- GS0014 | Large
- GS0015 | Extra large





Order Codes | Sizing:
 GS0021 | Extra small
 GS0022 | Small
 GS0023 | Medium
 GS0024 | Large
 GS0025 | Extra large

▷ Unicare Latex | GS002*

natural · medium weight · latex · powdered · single use gloves

Features

- AQL 1.5
- Free from phthalates
- Tested to EN1186
- Beaded cuff
- Manufactured with textured palms and fingertips
- Lightweight construction
- Lightly powdered

Sectors

- Care home work
- Cleaning and janitorial
- Food processing
- General assembly
- Janitorial
- Local Authority work
- Painting and decorating
- Printing



Packaging:
 100 gloves per dispenser
 10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm
		① 0.10 mm
		② 0.09 mm
		③ 0.08 mm
		Weight: 5.0 g



Order Codes | Sizing:
 GS0232 | Small
 GS0233 | Medium
 GS0234 | Large
 GS0235 | Extra large

▷ Unicare Blue TPE | GS023*

blue · light weight · TPE · single use gloves

Features

- AQL 4.0
- Made from TPE (Thermoplastic Elastomer)
- Free from latex and accelerators
- Free from powder
- Stretch-to-hand fit
- Free from phthalates
- Tested to EN1186
- Lightweight construction
- Touchscreen compatible

Sectors

- Cleaning industry and household
- Food industry
- Janitorial
- General purpose
- Painting & DIY



Packaging:
 200 gloves per dispenser
 10 dispensers per case

Sizes & Dimensions		Single Wall Thickness
XS	107 ± 3 mm	≥ 250 - 260 mm
S	108 ± 3 mm	≥ 250 - 260 mm
M	112 ± 3 mm	≥ 250 - 260 mm
L	122 ± 3 mm	≥ 250 - 260 mm
XL	135 ± 3 mm	≥ 250 - 260 mm
		① 0.036 mm
		② 0.036 mm
		③ 0.036 mm
		Weight: 2.0 g

Fortified

Europe's first nitrile examination glove with antimicrobial protection
Exclusively from Unigloves



Designed to mitigate risks of cross-contamination Incorporating silver ion technology from BioCote®



Unigloves' Fortified gloves contain BioCote® with proven antimicrobial protection.

BioCote® is silver ion technology. It has been used in the manufacture of Unigloves' Fortified gloves to provide antimicrobial properties. Ionic silver particles are impregnated throughout the rubber nitrile during glove production.

Why Silver?

Silver has been used for centuries for its abilities to aid preservation, for example, the ancient Greeks used silver vessels to keep their water fresh. Silver is an ideal antimicrobial agent due to its effectiveness against a range of microorganisms.

How does Silver work in gloves?

Silver ions are present at the surface of the glove and are available to act against contaminating microbes. The silver ions bind with and irreparably damage their cells; disrupt normal functions essential to survival; stopping them from reproducing and rendering them harmless.

Destroys 99.9% of bacteria

Scientifically proven results have shown that BioCote® treated materials destroy 99.9% of bacteria they come into contact with.

Fortified nitrile gloves are:

Effective

Fortified gloves are protected from colonisation by microbes, enhance hygiene and are a more hygienic alternative to standard nitrile examination gloves.

Long-lasting

Fortified gloves maintain their antimicrobial performance for the lifetime of the glove.

Proven

Fortified gloves have been shown to be effective against all types of bacteria. BioCote® silver ion technology has been proven to materially reduce microbes by up to 99.5%.

Accredited

BioCote® silver antimicrobial technology is considered food-safe and a suitable addition to food contact articles.





FORTIFIED

 Page 90 Fortified Blue Nitrile | GF001*



▷ Fortified Blue Nitrile | GF001*

antimicrobial · blue · medical grade · medium weight nitrile · examination gloves

Features

- Tested to EN374
- Infused with BioCote® silver ion antimicrobial technology
- AQL 1.5 and EN455 parts 1-4
- Free from phthalates
- Tested to EN1186
- Ambidextrous
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible


Sectors

- Care home work
- Cleaning and janitorial
- Dentistry
- Dental hygiene
- Emergency services
- Food processing
- Hair and beauty · Healthcare
- Hospital and clinical duties
- Janitorial
- Laboratory work
- Local Authority work
- Pharmaceutical work
- Piercing · Tattoo

Order Codes | Sizing:

- GF0012 | Small
- GF0013 | Medium
- GF0014 | Large
- GF0015 | Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness



- ① 0.09 mm
- ② 0.08 mm
- ③ 0.05 mm

Weight: 3.5 g

Packaging:

Each dispenser box contains 100 gloves
 Each case contains 10 dispenser boxes





VITALITY

-  Page 92 Vitality Nitrile | GD003*
-  Page 93 Vitality Soft Nitrile | GD005*
-  Page 93 Vitality Latex Mint | GD001*
-  Page 94 Vitality Latex | GD002*



▷ Vitality Nitrile | GD003*

moisturising · offline washed · white · medical grade
medium weight · nitrile · examination gloves

Features

- Washed offline
- Microfilm inner coating contains a combination of natural moisturisers
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Touchscreen compatible


Sectors

- Dentistry
- Dental hygiene
- Floristry and gardening
- Hair and beauty
- Healthcare

Order Codes | Sizing:

- GD0031 | Extra small
- GD0032 | Small
- GD0033 | Medium
- GD0034 | Large
- GD0035 | Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness




- ① 0.09 mm
- ② 0.08 mm
- ③ 0.05 mm

Weight: 4.7 g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





▷ Vitality Soft Nitrile | GD005*

moisturising · offline washed · aqua blue · medical grade
light weight · nitrile · examination gloves



Features

- Washed offline
- Microfilm inner coating contains a combination of natural moisturisers
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Nitrile formulation conforms to the hand during use
- Beaded cuff
- Manufactured with textured palms and fingertips
- Touchscreen compatible






Packaging:
100 gloves per dispenser
10 dispensers per case

Order Codes | Sizing:
GD0051 | Extra small
GD0052 | Small
GD0053 | Medium
GD0054 | Large

Sectors

- Dentistry
- Dental hygiene
- Floristry and gardening
- Hair and beauty
- Healthcare

Sizes & Dimensions		Single Wall Thickness
		
XS 75 ± 5 mm	≥ 240 mm	① 0.09 mm
S 80 ± 10 mm	≥ 240 mm	② 0.08 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.05 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	
		Weight: 3.5 g



▷ Vitality Latex Mint | GD001*

scented · moisturising · offline washed · green
medical grade · medium weight · latex · examination gloves



Features

- Scented with citrus and peppermint
- Washed offline
- Microfilm inner coating contains a combination of natural moisturisers
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Beaded cuff
- Manufactured with textured palms and fingertips
- Touchscreen compatible






Packaging:
100 gloves per dispenser
10 dispensers per case

Order Codes | Sizing:
GD0011 | Extra small
GD0012 | Small
GD0013 | Medium
GD0014 | Large
GD0015 | Extra large

Sectors

- Dentistry
- Dental hygiene
- Floristry and gardening
- Hair and beauty
- Healthcare

Sizes & Dimensions		Single Wall Thickness
		
XS 75 ± 5 mm	≥ 240 mm	① 0.13 mm
S 80 ± 10 mm	≥ 240 mm	② 0.12 mm
M 95 ± 10 mm	≥ 240 mm	③ 0.09 mm
L 110 ± 10 mm	≥ 240 mm	
XL ≥ 110 mm	≥ 240 mm	
		Weight: 6.0g



▷ Vitality Latex | GD002*

moisturising · offline washed · natural · medical grade
medium weight · latex · examination gloves

Features

- Washed offline
- Microfilm inner coating contains a combination of natural moisturisers
- Tested to EN374
- AQL 1.5 and EN455 parts 1-4
- Free from powder
- Tested to EN1186
- Beaded cuff
- Manufactured with textured palms and fingertips
- Medium-weight construction
- Touchscreen compatible


Sectors

- Dentistry
- Dental hygiene
- Floristry and gardening
- Hair and beauty
- Healthcare

Order Codes | Sizing:

- GD0021 | Extra small
- GD0022 | Small
- GD0023 | Medium
- GD0024 | Large
- GD0025 | Extra large

Sizes & Dimensions



XS	75 ± 5 mm	≥ 240 mm
S	80 ± 10 mm	≥ 240 mm
M	95 ± 10 mm	≥ 240 mm
L	110 ± 10 mm	≥ 240 mm
XL	≥ 110 mm	≥ 240 mm

Single Wall Thickness




- ① 0.13 mm
- ② 0.12 mm
- ③ 0.09 mm

Weight: 6.0g

Packaging:

Each dispenser box contains 100 gloves
Each case contains 10 dispenser boxes





SKINCARE

 Page 96 Unigloves Hand Gels | HG50/HG200/HG480

 Page 96 Derma Shield | CANFULDSA0***



Unigloves Hand Gels

Unigloves Hand Gel kills (in as little as 30 seconds) up to 99.99% of the common bacteria, fungi, yeast and viruses that can cause infection or illness. This alcohol-based hand gel or sanitiser contains Vitamin E to protect against drying and leaves hands soft yet instantly clean. This clear gel is fragrance-free and easy to dispense, avoiding any sticky residue.

sanitises · fast drying
cleans · moisturises
clear formula
antibacterial · hand gel

Order Codes:

480ml | HG480
200ml | HG200
50ml | HG50

Packaging:

480ml | x 12
200ml | x 30
50ml | x 48



Derma Shield

What is Derma Shield?

Forget traditional barrier creams; Derma Shield is the solution that skin's been waiting for as it:

- 1) Moisturises, 2) Nurtures and 3) Protects.

Derma Shield is CE marked and manufactured in the UK to Medical Device Standard ISO 13485:2016.

Note: Derma Shield is not a glove substitute and can be worn in conjunction with gloves!

Who uses Derma Shield?

A vast range of things can cause skin problems. It could be oils, greases, coins, papers, skin sanitiser, inks, coolants, or just working outdoors in all weather. In short, Derma Shield can be used anywhere, including food processing, factories, construction sites, dentists, healthcare professionals, tattoo artists – the list goes on.



▷ **500ml**
Derma Shield aerosol

Order Code:
CANFULDSA0500UK
Case Quantity: 6

This size will last approximately **14 to 15 months** if used twice a day on an adult pair of hands.

▷ **150ml**
Derma Shield aerosol



Order Code:
CANFULDSA0150UK
Case Quantity: 12

This size will last approximately **4 to 5 months** if used twice a day on an adult pair of hands.

▷ **50ml**
Derma Shield aerosol






Order Code:
CANFULDSA0050UK
Case Quantity: 24

This size will last approximately **4 to 5 weeks** if used twice a day on an adult pair of hands.



ANCILLARY

-  Page 98 Profil Surgical Facemask - Blue | 2001
-  Page 98 Profil Plus Surgical Facemask - Blue | 2005
-  Page 99 Universal Holder Dracula | DH0001



▷ **Profil Surgical Facemask - Blue | 2001**

3 ply · soft fabric · nose band for secure fit · easy breathe ear loops

Features

- 3 ply, Type II R surgical face mask
- Latex ear loops
- Tested to EN 14683:2005
- Integrated nose band
- Soft finish, non-woven

Sectors

- Care home work
- Dentistry
- Health & Beauty
- Healthcare
- Hospital and clinical duties
- Laboratory work
- Janitorial
- Pubs & restaurants
- Shopping
- Tattoo artists



Packaging:

Each dispenser box contains 50 pieces
Each case contains 10 dispenser boxes



Order Codes:

2001 | Blue



▷ **Profil Plus Surgical Facemask - Blue | 2005**

3 ply · soft fabric · nose band for secure fit · easy breathe ear loops · splash resistant

Features

- 3 ply, Type II R surgical face mask
- Soft ear loops
- Tested to EN 14683:2005
- Integrated nose band
- Latex free
- Soft finish, non-woven
- Splash resistant

Sectors

- Care home work
- Dentistry
- Health & Beauty
- Healthcare
- Hospital and clinical duties
- Laboratory work
- Janitorial
- Pubs & restaurants
- Shopping
- Tattoo artists



Packaging:

Each dispenser box contains 50 pieces
Each case contains 10 dispenser boxes



Order Codes:

2005 | Blue



▷ Universal Holder Dracula | DH0001

wall mounted holder for glove, face mask and tissue boxes with “teeth” which automatically adjust to hold any size of box firmly in place

Conveniently keeps boxes of disposable gloves, face masks, tissues or wipes within reach when mounted near work area. Perfect for doctor’s offices, laboratories, industrial facilities or wherever efficiency counts. The spring-loaded clamp is adjustable to fit many box sizes.

Features

- Easy to mount with two adhesive strips on the back, as well as two screw holes for stronger installation
- Internal adjustable size range: 102 - 138 mm
- Spring loaded mechanism holds box firmly in position
- “Teeth” to hold the box firmly in place
- Suited for Unigloves glove and face mask boxes
- Holds boxes up to 0.9kg
- Allows one-hand operation
- Suitable for use in hygienically sensitive areas such as hospitals, GP surgeries, food factories and care homes

Installation

Universal holder comes ready to install with 2 adhesive strips on the back, for mounting on smooth non-porous surfaces.

Two screw holes have been provided, if stronger installation is required.

To insert box, push top of holder upwards with box as shown. The “teeth” will clamp down on box and hold it securely in place.

Sectors

The holder can be used in a wide range of workplaces and industries, including healthcare, industrial plants, janitorial and local authorities.

Packaging:

50 pieces per box

Order Codes | Sizing:
DH0001 | One Size



Product Index





Product	Code	Material	P. No
Industrial Glove Range			19
Mechanical			
Nitrex 290B	290B*	PU	20
Nitrex 290G	290G*	PU	20
Nitrex 360FC	360FC*	Nitrile	20
Nitrex 270NF	270NF*	Nitrile	21
Nitrex 270NFP	270NFP*	Nitrile	22
Nitrex 270NFG	270NFG*	Nitrile	23
Nitrex 250	250*	Nitrile	23
Nitrex 250FC	250FC*	Nitrile	23
Nitrex 270E	270E*	Nitrile	24
Nitrex 275D	275D*	Latex	24
Nitrex 275BG	275BG*	Latex	24
Cut Resistant			
Nitrex 241PF	241PF*	PU	26
Nitrex 245P	245P*	PU	27
Nitrex 241OR	241OR*	PU	27
Nitrex 241PC18	241PC18*	PU	28
Nitrex 241ND	241ND*	Nitrile	29
Nitrex 245N	245N*	Nitrile	29
Nitrex 340FCD	340FCD*	Nitrile	30
Nitrex 340RF	340RF*	Nitrile	31
Nitrex 340RFI	340RFI*	Nitrile	31
Nitrex 242D	242D*	Nitrile	32
Nitrex 244	244*	Uncoated	34
Nitrex 247S	247S*	Uncoated	34
Chemical Resistant			
Nitrex 613	613*	Nitrile	36
Nitrex 612	612*	Nitrile	36
Nitrex 440	440*	Latex	37
Nitrex 680	680*	Latex	38
Nitrex 645	645*	Latex	38
Thermal			
Nitrex 370W	370W*	Nitrile	40
Nitrex 360FCT	360FCT*	Nitrile	42
Nitrex 299T	299T*	Latex	42
Electricians' Gloves & Accessories			
Sibille Electrical Insulating Arc Flash Gloves Class 00 - Class 4	GCA*	Latex	44
Sibille Electrical Insulating Gloves Class 00 - Class 4	GLB*	Latex	45
Sibille Accessories			
Sibille RGX-SG Leather Over Gloves	RGX-SG	Latex	46
Sibille RGX-VP Portable Inflator	RGX-VP	Latex	46
Sibille RGX-SAC Protective Bag	RGX-SAC	Latex	46
Sibille RGX-FT Talcum Powder	RGX-FT	Latex	46
Sibille RGX-1704 Rubber Cleaning Fluid	RGX-1704	Latex	46
Sibille RGX-BG Insulating Gloves Storage Case	RGX-BG	Latex	46
Sibille RGX-BGT Insulating Gloves Storage Case + Talcum Powder	RGX-BGT	Latex	46
Sibille RGX-SGL Protective Bag - Extra Long	RGX-SGL	Latex	46
Sibille RGX-GCT Cotton Under Gloves	RGX-GCT	Latex	46
Sibille RGX-MC Fingerless Cotton Under Gloves	RGX-MC	Latex	46

Product	Recommended	Code	Material	P.No
Household Range				47
Allsafe Household				
Allsafe Household Blue	Janitorial / Food / Industrial	UGHG300*B	Latex	48
Allsafe Household Green	Janitorial / Food / Industrial	UGHG300*G	Latex	48
Allsafe Household Pink	Janitorial / Food / Industrial	UGHG300*P	Latex	48
Allsafe Household Yellow	Janitorial / Food / Industrial	UGHG300*Y	Latex	48
Unicare Household				
Unicare Household Blue	Janitorial / Food / Industrial	UCHG300*B	Latex	49
Unicare Household Green	Janitorial / Food / Industrial	UCHG300*G	Latex	49
Unicare Household Pink	Janitorial / Food / Industrial	UCHG300*P	Latex	49
Unicare Household Yellow	Janitorial / Food / Industrial	UCHG300*Y	Latex	49

Product	Recommended	Code	Material	P.No
Disposable Range				51
Advanced				
BioTouch	Laboratory / Scientific	GM008*	Nitrile	56
BioTouch Black	Laboratory / Scientific	GM009*	Nitrile	56
Kooltouch	Laboratory / Scientific	GM004*	Nitrile	58
Stronghold	Laboratory / Scientific	GM006*	Nitrile	58
Stronghold+	Laboratory / Scientific	GM007*	Nitrile	59
Supergrip	Laboratory / Scientific	GM002*	Latex	59
Zero	Laboratory / Scientific	GM005*	Nitrile	60
PRO.TECT				
PRO.TECT Black	Automotive / Industrial	GA004*	Nitrile	62
PRO.TECT Black HD	Automotive / Industrial	GA006*	Nitrile	63
PRO.TECT Black HD+	Automotive / Industrial	GA007*	Nitrile	63
PRO.TECT Blue	Automotive / Industrial	GU004*	Nitrile	64
PRO.TECT Blue XHD+	Automotive / Industrial	GA010*	Nitrile	64
PRO.TECT Green HD	Automotive / Industrial	GA008*	Nitrile	65
PRO.TECT Green HD+	Automotive / Industrial	GA009*	Nitrile	65
PRO.TECT Latex HD	Automotive / Industrial	GA001*	Nitrile	66
PRO.TECT Orange HD	Automotive / Industrial	GA005*	Nitrile	66
Pearl				
Pearl Aqua Blue	Food / Dental / Hair & Beauty	GP009*	Nitrile	69
Pearl Black	Food / Dental / Hair & Beauty	GP003*	Nitrile	69
Pearl Blue	Food / Dental / Hair & Beauty	GP001*	Nitrile	69
Pearl Burgundy	Food / Dental / Hair & Beauty	GP012*	Nitrile	69
Pearl Green	Food / Dental / Hair & Beauty	GP004*	Nitrile	69
Pearl Orange	Food / Dental / Hair & Beauty	GP013*	Nitrile	69
Pearl Pink	Food / Dental / Hair & Beauty	GP005*	Nitrile	70
Pearl Red	Food / Dental / Hair & Beauty	GP006*	Nitrile	70
Pearl Sapphire	Food / Dental / Hair & Beauty	GP008*	Nitrile	70
Pearl Violet	Food / Dental / Hair & Beauty	GP007*	Nitrile	70
Pearl White	Food / Dental / Hair & Beauty	GP002*	Nitrile	70
Pearl Yellow	Food / Dental / Hair & Beauty	GP011*	Nitrile	70
Select Black				
Select Black Latex	Tattoo	GT002*	Latex	72
Select Black Latex EC	Tattoo	GT001*	Latex	72
Select Black Nitrile	Tattoo	GT003*	Nitrile	73
Select Black Razors	Tattoo	RT001	Plastic	74
Select Black Face Masks	Tattoo	FT001	Fleece	74
Select Black Couch Covers	Tattoo	530-100	CPE	74
Select Black Swabs	Tattoo	ST001	Polyester	75
Select Black Cups	Tattoo	BCT001	Plastic	75
Select Black Lap Cloths	Tattoo	5125-SCH	Paper	75
Unicare				
Unicare Nitrile (100)	Medical / Janitorial / Food	GS003*	Nitrile	78
Unicare Nitrile (200)	Medical / Janitorial / Food	GS004*	Nitrile	78
Unicare Flex Nitrile (100)	Automotive / Food / Industrial	GS021*	Nitrile	79
Unicare Flex Nitrile (200)	Automotive / Food / Industrial	GS022*	Nitrile	79
Unicare Unitrile	Medical / Janitorial / Food	GS005*	Nitrile	80
Unicare Clear Vinyl (EN374)	Medical / Janitorial / Food	GS006*	Vinyl	80
Unicare Clear Vinyl (EN455)	Medical / Janitorial / Food	GS006*-A	Vinyl	81
Unicare Clear Vinyl (Powdered)	Medical / Janitorial / Food	GS007*	Vinyl	81
Unicare Blue Vinyl (EN374)	Medical / Janitorial / Food	GS008*	Vinyl	82
Unicare Blue Vinyl (EN455)	Medical / Janitorial / Food	GS008*-A	Vinyl	82
Unicare Blue Vinyl (Powdered)	Medical / Janitorial / Food	GS009*	Vinyl	83
Unicare Stretch Vinyl (EN455)	Medical / Janitorial / Food	GS013*-A	Vinyl	84
Unicare Green Vinyl (EN374)	Medical / Janitorial / Food	GS012*	Vinyl	85
Unicare Red Vinyl (EN374)	Medical / Janitorial / Food	GS011*	Vinyl	85
Unicare Yellow Vinyl (EN374)	Medical / Janitorial / Food	GS010*	Vinyl	86
Unicare Latex (EN455)	Medical / Janitorial / Food	GS001*	Latex	86
Unicare Latex (Powdered)	Medical / Janitorial / Food	GS002*	Latex	87
Unicare TPE Gloves (Blue)	Janitorial / Food	GS023*	TPE	87
Fortified				
Fortified Blue Nitrile	Medical / Janitorial / Food	GF001*	Nitrile	90
Vitality				
Vitality Nitrile	Dental	GD003*	Nitrile	92
Vitality Soft Nitrile	Dental	GD005*	Nitrile	93
Vitality Latex Mint	Dental	GD001*	Latex	93
Vitality Latex	Dental	GD002*	Latex	94

* The last digit of the order code is dependent on the glove size, e.g 1 = X/Small, 5 = X/Large. (N.B. Not all gloves are available in XS or XL)

Product Index

Product	Recommended	Code	Material	P.No
 Skincare Range				95
 Unigloves Hand Gels				
Hand Gel with Vitamin E - 50ml		HG50		96
Hand Gel with Vitamin E - 200ml		HG200		96
Hand Gel with Vitamin E - 480ml		HG480		96
 Derma Shield				
Derma Shield Aerosol - 50ml		CANFULDSA0050		96
Derma Shield Aerosol - 150ml		CANFULDSA0150		96
Dermashield Aerosol - 500ml		CANFULDSA0500		96
 Ancillary Range				97
Profil Surgical Facemask - Blue		2001		98
Profil Plus Surgical Facemask - Blue		2005		98
Universal Holder Dracula		DH0001		99


contents


If you would like further information on our wide range of products and services, or require samples and prices, please contact our team:

✉ sales@unigloves.co.uk

📞 +44 (0)800 049 6602




 **UNIGLOVES USA**
 1565 Sunflower Avenue
 Costa Mesa, CA 92626
 ☎ +1 800 328 7981
 🌐 ughealthcare.com


 **UNIGLOVES BRAZIL**
 Rua Santa Catarina,
 293, Água Verde,
 80620-100 Curitiba, Parana
 ☎ +55 (41) 3027 5454
 🌐 unigloves.com.br

 **UNIGLOVES UK**
 3 Ambley Green,
 Gillingham Business Park,
 Gillingham,
 ME8 0NJ, UK
 ☎ +44 (0)800 049 6602
 🌐 unigloves.co.uk

 **UNIGLOVES GERMANY**
 Arzt- & Klinikbedarf
 Handelsgesellschaft mbH
 Camp-Spich-Straße 71
 D-53842 Troisdorf-Spich
 ☎ +49 2241 9323 0
 🌐 unigloves.de


 **UNIGLOVES NIGERIA**
 Plot B2, Block 73F Alakoso Avenue,
 Amuwo Odofin Industrial Estate,
 Lagos, Nigeria
 ☎ +234 814 836 8996
 ☎ +234 808 568 1006
 🌐 unimedicalhealthcare.com

 **UNIGLOVES CHINA**
 Unit 902, Qiang Sheng Building,
 145 Pujian Road, Pudong,
 Shanghai, 200127
 China
 ☎ +86 21 6131 0340
 🌐 unigloves.com.cn

 **MALAYSIA**
 Lot 62&63, Lorong Senawang 3/2,
 Senawang Industrial Estate,
 70450 Seremban,
 Negeri Sembilan Darul Khusus,
 Malaysia
 ☎ +606 6772 751/2
 🌐 ughealthcarecorporation.com

Wearing the right size glove is important.

Tight gloves can restrict dexterity, cause discomfort and hand fatigue. Loose gloves that don't have the requisite stretchiness represent a safety hazard to users and also can result in unnecessary fatigue.



To determine your glove size, place your left hand over the image above, with your thumb to the right and fingers closed. Measure your hand across the widest point as depicted.

We recommend that you try gloves prior to use to ensure the best fit.



Headquarters:

3 Ambley Green,
Gillingham Business Park,
Gillingham, ME8 0NJ, UK

unigloves.co.uk

sales@unigloves.co.uk

+44 (0)800 049 6602

Northern Office:

Suite 7, Brooklands Court,
Tunstall Road, Leeds,
LS11 5HL, UK

Registered office:

37 St Margaret's Street,
Canterbury, Kent, CT1 2TU, UK
Registered in England No. 04010200
VAT registration 791817787



ughealthcarecorporation.com

European Sales Offices:

France:

Paris, Gare Du Nord
SNCF Station,
14 Rue de Dunkerque,
Paris, 75010

Belgium:

Brussels, Regus Anderlecht City Dox
Boulevard Industriel 9,
Brussels, 1070

Bulgaria:

Sofia, Airport
132 Mimi Balkanska Str,
Sofia, 1540

Romania:

Bucharest, Anchor Business Centre
26, Timisoara Boulevard,
6th District,
Bucharest, 061331



Neither this document nor any other statement made herein by or on behalf of Unigloves should be interpreted as a guarantee of marketability or that any Unigloves product is fit for a particular purpose. Unigloves accepts no responsibility for the adequacy or suitability of a user's selection of gloves for their intended application.